



Sidcot
Live Adventurously

Policy Name: Health and Safety

Policy Number: 8.1

Date: 1 February 2021

workⁿest
H&S

CONTENTS

1. INTRODUCTION

2. HEALTH AND SAFETY POLICY STATEMENT

3. ORGANISATION FOR HEALTH AND SAFETY

4. HEALTH AND SAFETY RESPONSIBILITIES

Board of Governors
Head Master
Director of Operations
Heads of Department
Facilities Manager
Support Staff Departmental Managers
Teachers
Catering and Domestic Managers
Students
All Staff
Contractors
Visitors
WorkNest (Health and Safety Consultants)
Health and Safety Committee

5. HEALTH AND SAFETY RULES

General
Working Practices
Hazard / Warning Signs and Notices
Working Conditions / Environment
Protective Clothing and Equipment
Fire Precautions
Accidents
Health
School Transport
Rules Covering Gross Misconduct

6. ARRANGEMENT SUMMARY

Risk Assessments
Consultation with Employees
Governor Representative
Building, Plant and Equipment Maintenance
Asbestos
Safe Handling and Use of Substances
Competency for Tasks
First Aid and Accidents
Monitoring
Fire
Educational Visits
Contractors and Safety
Work Experience

7. ARRANGEMENTS

Accident, Incident and Ill-Health Recording, Reporting and Investigation
Asbestos
Contractors
Communication and Consultation
Design and Technology
Disabled Persons including students with Special Education Needs (SEN)

Display Screen Equipment
Driving
Educational Visits
Electricity
Fire
First Aid
Food Science
Gas Installations and Appliances
Hazardous Substances (COSHH)
Infection Control
Interactive Whiteboards
Legionnaires Disease
Lifts
Lone Working
Manual Handling
Minibuses [es and other school vehicles](#)
[Noise](#)
New and Expectant Mothers
Outdoor Play Equipment
Personal Protective Equipment
Physical Education
Radiation
Risk Assessment
Safeguarding
Science
Smoking
Stress
Supporting Students with Medical Needs
Swimming Pool
Temporary Staff and Volunteers
Training
Violence to Staff
Visitors
Voice Care
Window Restrictors
Work at Height
Work Equipment
Work Experience Placement
Working Time Regulations
Workplace Transport

8. RISK ASSESSMENT

Risk Assessment
Fire Risk Assessment

9. MONITORING OF HEALTH AND SAFETY

Governing Body
Headmaster
Director of Operations
Facilities Manager

INTRODUCTION

1. INTRODUCTION

This Health and Safety manual has been prepared by WorkNest on our behalf and with our involvement. It contains our Health and Safety Policy as required by the Health and Safety at Work Act 1974 and it defines the way we manage the health and safety hazards and risks associated with our business, premises and activities.

Sidcot School are committed to managing health and safety effectively to protect our employees and other persons with whom we interact because we recognise that we have not only a moral and legal duty but also that our employees are our greatest asset.

Our Health and Safety Policy Statement sets out our commitment and the objectives we aspire to in managing health and safety. It is signed by the most senior person in our organisation to demonstrate that our commitment is led from the top.

Our approach to managing health and safety will be pragmatic and proportionate and will be prioritised according to risk with the objective of maintaining continuous improvement. We accept that we cannot eliminate risk from everything we do but we can manage risk in such a way that exposure to hazards is controlled as far as is reasonably practical.

We recognise that improvement in health and safety will not happen by chance and that planning to manage using a systematic approach through risk assessment is a necessary first step and an ongoing process. In moving forwards we will wherever possible eliminate risk through selection and design of buildings, facilities, equipment and processes. Where risks cannot be eliminated they will be minimised by the use of physical controls or, as a last resort, through systems of work and personal protection.

Our success in managing health and safety will be measurable and we look to establish performance standards against which we can monitor our progress to identify future actions to go into our improvement programme.

Based on our performance measurement in the form of accident monitoring, internal monitoring and external audits we will review our health and safety arrangements periodically and at least annually. The results of our measurement will be recorded and presented to the Board in our Annual Report.

POLICY REVIEW

This Health and Safety Policy will be reviewed annually by WorkNest Ltd in conjunction with our nominated responsible person and adopted by the Board. Between Board Meetings, if any changes to legislation, practice or incident so require, any amendments may approved by the Governor with special responsibility for Health and Safety.

As each review is completed it will be signed off by the consultant from WorkNest and confirmed by our nominated responsible person.

| Review Date | Signed on behalf of WorkNest | Confirmed |
|-------------|------------------------------|-----------|
| 2 Feb 2022 | Lorna Tanner | By KWP |
| | | |
| | | |
| | | |

DOCUMENT CONTROL

The electronic copy of each version of the Health and Safety Policy will be retained as the controlled copies and we will maintain a register of these. Any amendments made to the policy will be made electronically so the version of the School intranet will be the most up to date version..

Should copies of the policy be printed either in whole or part, then these will need to be marked as 'UNCONTROLLED COPY'.

Register

| Copy Number or Reference | Location kept |
|---|--|
| Version 1 – rewrite of original policy – 5 December 2015. | Master policies folder on confidential drive |
| Version 2 – updates summer 2016 | Master policies folder on confidential drive |
| Version 3 – updates summer 2017 | Master policies folder on confidential drive |
| Version 4 – updates October 2021 | Master policies folder on confidential drive |
| Version 5 – updates February 2022 | Master policies folder on confidential drive |

AMENDMENT RECORD

Any amendments made to the Health and Safety Policy will be recorded below with information on changes made.

Where significant changes are to be made which could impact on the business or client, we will consider the reasons for change, potential problems and how it will be implemented.

| Date | Section | Ref /Title | Details of amendment made | Change made by |
|----------|-------------------------------------|------------|---|----------------|
| 20/1/16 | | | Appointment of Facilities Manager, re-structure of responsibilities | |
| 17/3/16 | | | Hyper-link to First Aiders | HSA |
| 31/03/16 | 9 | | Updated checklists | HSA |
| 28.07.16 | 4 7.62 | | List of health and safety committee representatives Amended section rework experience | NF |
| 29.7.16 | 7.34 7.33 8.1 7.29 | | Swimming Pool Operating Plan referenced Medical Policies referenced Risk Assessment Policy Referenced Recruitment Policy reference | HSA |
| 09.09.16 | 6.2 | | Amendment to staff representatives | NF |

| | | | | |
|----------|-----------------|--|---|-----|
| | 7.9 7.29 | | Deleted paragraph relating to educational visits as new policy in existence. Delete section on child protection as separate policy in force (2.1) Cross reference to supervision of staff policy re contractors 9.27 and duty of contractors to comply with the School's risk assessment. | |
| 8/06/17 | 6.2 | | Committee names updated | HSA |
| | 6.7 and 7.1.1 | | Update location of the accident book | HSA |
| | 7.5 | | Inclusion of science in the technology section Location of the LEV records | HSA |
| | 7.6 | | General SEND update | HSA |
| | 9.4 | | Removal of spillage and ref to policy 4.1 | HSA |
| | 7.22 | | Add other school vehicles to minibus section | HSA |
| | 7.27 | | New RPA | HSA |
| | 7.42 | | Removal of work exp and reference policy 8.9 | HSA |
| | 7.8 | | On-line checking of licences and notification of charges or investigations | HSA |
| | 9.1 | | Addition of Governor accompanying Ellis Witham on H&S inspection | HSA |
| 22/06/18 | 6.2 | | H&S Committee members updated | HSA |
| | 6.4 | | Location of asbestos register | HSA |
| | 7.11 | | Location of fire records, change of wording around training | HSA |
| | 7.4 | | Addition of window restrictors | HSA |
| | 7.15 | | New COSHH symbols | HSA |
| | 4.12 | | Details of visitor obligations | HSA |
| | 6.7 | | Info on location of First aid boxes | HSA |
| | 7.12 | | EYFS First Aid update | has |

| | | | | |
|------------|--------------------------|--|---|-----|
| 21/06/2019 | Document control section | | Policy is published electronically | HAS |
| 21/06/2019 | 6 | | Arrangement summary list updated | HAS |
| | 7.2 | | Lone workers section updated | HAS |
| 31/01/20 | | | Added noise and other minor updates | HA |
| | 6.2 | | Committee Names updated Radiation Protection Officer added | HA |
| 10/09/20 | | | Covid-19 | HA |
| 10.10.2020 | | | Approved by Board | |
| 10/21 | | | Covid19 | KWP |
| 2/02/22 | | | Update from WorkNest, changed from Ellis Whittam to WorkNest | LT |

LEGSLATION

Extracts of relevant legislation are provided for ease of reference on the WorkNest webpage. Full copies of the legislation are available on the Office of Public Sector Information web page (www.Opsi.gov.uk).

GUIDANCE

Guidance on a number of health and safety issues can be accessed by logging onto the WorkNest webpage which we hope you will find useful as a quick reference source.

Should you require further advice or assistance not available here then remember that advice on any health and safety issue is available from the **WorkNest** advice line - **Tel: 0845 226 8393**.

FORMS

Relevant forms and templates that may be utilised can be accessed by logging onto the WorkNest webpage.

POLICY STATEMENT

2. HEALTH AND SAFETY POLICY STATEMENT

The management of Sidcot School recognises that it has a legal duty of care towards protecting the health and safety of its employees, students and others who may be affected by the school's activities.

In order to discharge its responsibilities the management of the School will:

- bring this Policy Statement to the attention of all employees
- carry out and regularly review risk assessments to identify proportionate and pragmatic solutions to reducing risk
- communicate and consult with our employees on matters affecting their health and safety
- comply fully with all relevant legal requirements, codes of practice and regulations at International, National and Local levels
- eliminate risks to health and safety, where possible, through selection and design of materials, buildings, facilities, equipment and processes
- encourage staff to identify and report hazards so that we can all contribute towards improving safety
- ensure that emergency procedures are in place at all locations for dealing with health and safety issues
- maintain our premises, provide and maintain safe plant and equipment
- only engage contractors who are able to demonstrate due regard to health & safety matters
- provide adequate resources to control the health and safety risks arising from our work activities
- provide adequate training and ensure that all employees are competent to do their tasks
- provide an organisational structure that defines the responsibilities for health and safety
- provide information, instruction and supervision for employees
- regularly monitor performance and revise policies and procedures to pursue a programme of continuous improvement

This Health and Safety Policy will be reviewed at least annually and revised as necessary to reflect changes to the school activities and any changes to legislation. Any changes to the Policy will be brought to the attention of all employees.

Signed: 1.02.2022

Dated: 1.102.2022

Chair of Governors:



Headmaster:



ORGANISATION FOR HEALTH & SAFETY

3. ORGANISATION FOR HEALTH AND SAFETY

The overall responsibility for health and safety rests at the highest management level. However, it is the responsibility of every employee to co-operate in providing and maintaining a safe place of work.

This part of our policy allocates responsibilities to line managers to provide a clear understanding of individuals' areas of accountability in controlling factors that could lead to ill health, injury or loss. Managers are required to provide clear direction and accept responsibility to create a positive attitude and culture towards health and safety.

The following positions have been identified as having key responsibilities for the implementation of our health and safety arrangements:

Board of Governors

Headmaster

Director of Operations

Senior Management Team


Facilities Manager

Teachers

Maintenance, Catering and Domestic Managers

SIDCOT SCHOOL

Organisation Chart for the Management of Health and Safety



HEALTH AND SAFETY RESPONSIBILITIES

4. HEALTH AND SAFETY RESPONSIBILITIES

The Governors, Headmaster, senior staff and designated health and safety staff will take all reasonable steps to identify and reduce hazards to a minimum. To assist in this all staff and students must be aware of their own and others personal safety in any of the schools activities, both on and off site.

4.1 Board of Governors

The Board of Governors has a strategic role in the running of the school and has responsibility for the management of health and safety.

The Board of Governors will ensure that:

- they provide a lead in developing a positive Health and Safety culture throughout the school
- any decisions reflect its Health and Safety intentions
- adequate resources are available for the implementation of Health and Safety
- an effective management structure for the implementation of Health and Safety is established
- they will promote the active participation of employees in improving health and safety performance
- they review the health and safety performance of the School annually and plan safety improvements for the following year
- health and safety objectives are set across the whole school and for each department
- standards of health and safety are set across all areas
- a health and safety plan of continuous improvement is created and monitored for progress against agreed targets
- a risk management programme is developed and implemented across the school
- senior management are competent to fulfil their health and safety responsibilities and that effective training programmes have been put in to place
- a system of communication and consultation with employees is established via the Health and Safety Committee
- matters raised by the Health and Safety Committee are considered for action
- monitoring systems are in place to monitor the effectiveness of the schools risk control
- health and safety policies and procedures are reviewed in light of the results of internal and external audits
- actions required by enforcing authorities are programmed and included within health and safety plans to ensure legal compliance

4.2 Headmaster

The Headmaster has overall responsibility for ensuring compliance with Health and Safety legislation in the day to day running of the school but delegates the responsibility for implementation to The Board of Governors.

The Headmaster will ensure that:

- our health and safety policy is implemented, monitored, developed, communicated effectively, reviewed and amended as required
- a health and safety plan of continuous improvement is created and the Directorship monitor progress against agreed targets
- suitable and sufficient funds, people, materials and equipment are provided to meet all health and safety requirements
- senior management designated with health and safety responsibilities are provided with support to enable health and safety objectives to be met
- a positive health and safety culture is promoted and that senior management develop a pro-active safety culture which will permeate into all activities undertaken and reach all personnel
- a system of communication and consultation with employees is established
- effective training programmes have been put in to place
- an annual report on the safety performance of the school is presented to the Board

4.3 Director of Operations

The Director of Operations, as the person with special responsibility for health and safety, will ensure that:

- the Board of Governors, the Headmaster and the Health and Safety Committee are advised of relevant changes in health and safety legislation, codes of practice and Department for Education standards
- risk assessment requirements are co-ordinated and the implementation of any action required is monitored
- risk assessments are reviewed regularly and any changes are brought to the attention of staff who may be affected
- regular Health and Safety Committee meetings are held where health and safety issues can be raised and discussed
- they provide advice on health and safety training requirements
- details of accidents, dangerous occurrences or diseases that are notifiable are reported to the Enforcing Authorities
- they assist Heads of Departments in investigating and recording accident investigations
- contact with external organisations such as the emergency services is co-ordinated
- health assessment requirements are identified and advised to management
- the schedule of statutory examinations of plant, equipment and vehicles is maintained and Heads of Department are made aware of impending examinations
- premises, plant, equipment and school vehicles are maintained in a safe condition
- adequate arrangements are in place to ensure the security of the school, the staff, visitors and students
- adequate arrangements for fire and first aid are established
- welfare facilities provided are maintained in a satisfactory state
- contractors engaged are reputable, can demonstrate a good health and safety record and are made aware of relevant local health and safety rules and procedures
- health and safety notices are displayed

The Director of Operations as a Head of Department will ensure that:

- they actively lead the implementation of our Health and Safety Policy
- they supervise their staff to ensure that they work safely
- safe systems of work are developed and implemented
- risk assessments are completed, recorded and regularly reviewed

- accidents, ill health and 'near miss' incidents at work are investigated, recorded and reported
- they communicate and consult with staff on health and safety issues
- they encourage staff to report hazards and raise health and safety concerns
- safety training for staff is identified, undertaken and recorded to ensure staff are competent to carry out their work in a safe manner
- issues concerning safety raised by anyone are thoroughly investigated and, when necessary, further effective controls implemented
- personal protective equipment is provided, staff instructed in its use and that records are kept
- hazardous substances are stored, transported, handled and used in a safe manner according to manufacturers' instructions and established rules and procedures
- agreed safety standards are maintained particularly those relating to housekeeping
- health and safety rules are followed by all

4.4 Senior Management Team

The Senior Management Team will ensure that in their areas of control:

- they actively lead the implementation of the Health and Safety Policy
- they supervise their staff to ensure that they work safely
- written risk assessments of teaching practices and activities including equipment and substances are completed; that any general advice on safety matters given by the DfE, Local Authority and other relevant bodies in relation to the school are implemented, that this is then translated into written safe methods of working practice
- safe methods of work are implemented
- inform students, staff and visitors as to their own personal safety and makes sure they are aware of the health and safety procedures in place
- risk assessments are regularly reviewed
- accidents, ill health and 'near miss' incidents at work are recorded, investigated and reported to the Director of Operations
- they communicate and consult with staff on health and safety issues
- they encourage staff to report hazards and raise health and safety concerns
- safety training for staff is identified, undertaken and recorded to ensure staff are competent to carry out their work in a safe manner
- issues raised by anyone concerning safety are thoroughly investigated and, when necessary, further effective controls implemented
- equipment is maintained in a safe condition
- statutory examinations are planned, completed and recorded
- personal protective equipment is provided and worn by staff and students, and that staff and students are instructed in its use
- any safety issues that cannot be dealt with are referred to the Director of Operations for action
- hazardous substances are stored, transported, handled and used in a safe manner according to manufacturers' instructions and established rules and procedures
- agreed safety standards are maintained, particularly those relating to housekeeping
- all relevant safety documents including DfE Guides, etc. are maintained and made available to all employees
- health and safety rules are followed by staff and students
- they perform regular health and safety inspections within their department as required by the Headmaster

4.5 Facilities Manager supported by the Maintenance Manager

The Facilities Manager supported by the Maintenance Manager will ensure that:

- school buildings and plant are maintained in accordance with the Health and Safety Policy
- records of servicing and maintenance are retained and kept up to date
- contractors engaged are reputable, can demonstrate a good health and safety record and are made aware of relevant local health and safety rules and procedures
- safe systems of work are developed and implemented
- risk assessments are completed, recorded and regularly reviewed
- they communicate with staff on health and safety issues relating to building maintenance and the work of contractors
- they encourage staff to report hazards and raise health and safety concerns
- statutory examinations are planned, completed and recorded
- any safety issues that cannot be dealt with are referred to the Director of Operations for action
- welfare facilities provided are maintained in a satisfactory state
- agreed safety standards are maintained particularly those relating to housekeeping

4.6 Support Staff Departmental Managers

The Support Staff Departmental Managers will ensure that in their areas of control:

- they implement our Health and Safety Policy
- they supervise their staff to ensure that they work safely
- they communicate and consult with staff on health and safety issues
- health and safety rules are followed by all
- they encourage staff to report hazards and raise health and safety concerns
- issues concerning safety raised by anyone are thoroughly investigated and, when necessary, further effective controls implemented and communicated to staff
- any safety issues that cannot be dealt with are referred to the Director of Operations for action
- safe systems of work are developed and implemented
- accidents, ill health and 'near miss' incidents at work are recorded, investigated and reported
- personal protective equipment is readily available and maintained, and relevant staff are aware of the correct use of this and the procedures for replacement
- hazardous substances are stored, transported, handled and used in a safe manner according to manufacturers' instructions and established rules and procedures

4.7 Teachers

Teachers will ensure that in their areas of responsibility:

- they actively lead the implementation of the Health and Safety Policy
- they supervise their staff and students to ensure that their lessons and activities are carried out safely
- safe teaching practices are developed and implemented
- risk assessments for any activity (supervised by the teacher) where there is a risk of significant harm are completed, recorded and regularly reviewed
- accidents, ill health and 'near miss' incidents at work are investigated, recorded and reported to the Director of Operations
- they communicate and consult with staff on health and safety issues
- they encourage staff and students to report hazards and raise health and safety concerns
- safety training for staff is identified, undertaken and recorded to ensure staff are competent to carry out their work in a safe manner
- issues raised by anyone concerning safety are thoroughly investigated and, when necessary, further effective controls implemented
- equipment is maintained in a safe condition
- personal protective equipment where required is provided and that staff and students are instructed in its use
- any safety issues that cannot be dealt with are referred to the Senior Teacher for action
- hazardous substances are stored, transported, handled and used in a safe manner according to manufacturers' instructions and established rules and procedures
- agreed safety standards are maintained, particularly those relating to housekeeping
- all relevant safety documents including CLEAPSS, DfES Guides, etc. are maintained and made available to all employees
- health and safety rules are followed by all staff and students

4.8 Facilities Manager Supported by Catering and Domestic Managers

The Facilities Manager supported by the catering and Domestic Managers will ensure that in their areas of control:

- they actively lead the implementation of our Health and Safety Policy
- they supervise their staff to ensure that they work safely
- safe systems of work are developed and implemented
- risk assessments are completed, recorded and regularly reviewed
- accidents, ill health and 'near- miss' incidents at work are investigated, recorded and reported
- they communicate and consult with staff on health and safety issues
- they encourage staff to report hazards and raise health and safety concerns
- safety training for staff is identified, undertaken and recorded to ensure staff are competent to carry out their work in a safe manner
- issues concerning safety raised by anyone are thoroughly investigated and, when necessary, further effective controls implemented
- catering equipment is maintained in a safe condition
- personal protective equipment is provided, staff instructed in its use and that records are kept
- adequate arrangements for fire and first aid are established
- any safety issues that cannot be dealt with are referred to the Director of Operations for action
- welfare facilities provided are maintained in a satisfactory state
- hazardous substances are stored, transported, handled and used in a safe manner according to manufacturers' instructions and established rules and procedures
- health surveillance is carried out and records are kept
- agreed safety standards are maintained particularly those relating to housekeeping
- health and safety rules are followed by all
- high standards of food safety are maintained

4.9 Students

All Students must:

- co-operate with Teachers and school staff on health and safety matters and obey instructions
- not interfere with anything provided to safeguard their own health and safety or the safety of others
- take reasonable care of their own health and safety; and report all health and safety concerns to a Teacher

4.10 Staff

All Staff must:

- take reasonable care of their own safety
- take reasonable care of the safety of others affected by their actions
- observe the safety rules
- comply with the Health and Safety Policy
- conform to all written or verbal instructions given to them to ensure their personal safety and the safety of others
- dress sensibly and safely for their particular working environment or occupation
- conduct themselves in an orderly manner in the work place and refrain from any antics or pranks
- use all safety equipment and/or protective clothing as directed
- avoid any improvisations of any form which could create an unnecessary risk to their personal safety and the safety of others
- maintain all equipment in good condition and report defects to their supervisor
- report any safety hazard or malfunction of any item of plant or equipment to their supervisor
- report all accidents to their supervisor whether an injury is sustained or not
- attend as requested any health and safety training course
- observe all laid down procedures for processes, materials and substances used
- observe the fire evacuation procedure and the position of all fire equipment and fire exit routes

4.11 Contractors – please refer to supervision of staff policy 9.27

All contractors must:

- take reasonable care of their own safety
- take reasonable care of the safety of students, school staff and others affected by their actions

- observe the safety rules of the school
- submit their health and safety policy and relevant risk assessments to the school for approval
- comply with the School's risk assessment and required checks of them in accordance with the supervision of staff policy
- comply with and accept our health and safety policy, if they do not have one
- dress appropriately, sensibly and safely when on school premises and for the task being undertaken
- conduct themselves in an orderly manner in the work place and refrain from any antics or pranks
- use all safety equipment and/or protective clothing as required by the school and as indicated in the risk assessment for the task
- avoid any improvisations of any form which could create an unnecessary risk to their personal safety and the safety of others
- maintain all equipment in good condition, not use any defective equipment and ensure that any portable electrical equipment bears a current test certificate
- report any safety hazard or malfunction of any item of plant or equipment to their supervisor
- report all incidents to their supervisor and to the school whether an injury is sustained or not
- ensure that their employees only use equipment for which they have been trained
- attend as requested any health and safety training course
- observe all agreed procedures for processes, materials and substances used
- observe the fire evacuation procedure and the position of all fire equipment and not obstruct fire exit routes or inhibit fire alarm sensors or devices
- provide adequate first aid arrangements unless otherwise agreed with the school

4.12 Visitors and those hiring facilities

Please refer to visitors and visiting speakers Policy 3.5 and acceptable usage policy for visitors. Please also refers to how the School discharges its duties to prevent anyone from being drawn into terrorism.

- All visitors are required to sign in at either the Junior School, Senior School, Arts Centre or Sports Centre reception. Visitors will be collected from reception by the member of staff concerned or escorted to the appropriate area of the School.
- Hirers of the School premises must use plant, equipment and substances correctly and use the appropriate safety equipment. They will be made aware of their obligations in relation to health and safety when making the booking.
- Whilst on site, all visitors and contractors must wear a visitor's badge. Temporary teaching staff on cover duties will be required to record their presence by reporting to reception.
- If a member of staff meets someone on site who they do not recognise and is not wearing a visitors badge, they should, if they do not feel threatened, enquire if the person needs assistance and accompany them either to the reception or off the site, as appropriate.
- If an intruder is uncooperative about going to the reception or leaving the site, or a member of staff feels threatened, or is threatened with violence or a violent attack takes place, immediate help from the Police should be sought by telephone.
- In the interests of safety and security, the School will take the necessary measures to protect staff and visitors from any accidents or incidents that may occur during visiting.
- Visitors must be provided with protective clothing as required and must wear it.
- Any accidents / incidents involving visitors are reported through the accident reporting arrangements

Emergency Action

In the event of the fire alarm sounding, all visitors should be escorted to the assembly point by their host. Visitors should not leave the area before notifying the senior person present.

4.13 WorkNest (Health and Safety Consultants)

WorkNest, in agreement with management, provides us with the following services:

- A general risk assessment in the first part of the contract that forms the basis of our risk management programme and helps us plan our future actions to reduce risk
- Development of our documentation throughout the period of our contract and keeping it updated for:
 - changes in Health and Safety legislation relevant to us
 - organisational changes which affect our management system
- A consultant visit to train senior managers and to support our implementation of this Policy by:
 - assisting us to complete specific risk assessments
 - providing further training, as agreed, on relevant agreed topics
 - reviewing and auditing our health and safety procedures and legal compliance
 - providing advice on implementing changes and system procedures

WorkNest is also contracted to:

- fulfil the role of 'Competent Person', providing advice and assistance on Health and Safety issues
- provide for us a telephone advisory service - available 24 hours per day, 365 days of the year
- provide crisis help if we have a serious accident or incident involving the Enforcement Authorities
- provide legal fees insurance, the terms of which are defined in our insurance policy document
- provide briefings to help keep us up to date with new and forthcoming legislation

4.14 Health and Safety Committee

The Health and Safety Committee is the consultative body of the school for health and safety.

The Health and Safety Committee will:

- consider and support the school's policies for health, safety and welfare and assist in monitoring and reviewing their effectiveness
- consider forthcoming legislation and assess its implications and where necessary to recommend the establishment of rules or the review of existing procedures of any school activity
- promote health and safety communication and training in the organisation at all levels
- receive detailed reports of investigations into all reportable accidents, dangerous occurrences and cases of reportable diseases to consider the effectiveness of any action taken to prevent future similar accidents
- receive a list of all other recorded accidents or occurrences and to consider the effectiveness of any remedial action taken to prevent future similar incidents
- consider reports of internal and external monitoring of the school
- ensure trends in accident statistics are identified and to make recommendations for action
- keep under review communications and publicity relating to health, safety and welfare and where necessary to recommend any improvements or changes
- consider reports provided by inspectors of the enforcing authority under the Health and Safety at Work Act 1974, or any other relevant enforcement authority
- consider relevant health, safety and welfare matters raised by members of the Committee

HEALTH AND SAFETY RULES

5. HEALTH AND SAFETY RULES

This section of our Health and Safety Policy specifies the rules laid down for the attention of all employees. These rules are prepared in accordance with legal requirements and acknowledged safe working practices. In addition to the legal duty imposed upon employees to comply with these rules, failure to observe them will be considered to be a breach of the contract of employment and will result in disciplinary action being taken.

Employees are reminded that a breach of health and safety legislation by an employee is a criminal offence and action taken by an Enforcing Officer against an individual may result in heavy penalties.

Safety rules may vary depending upon the nature of work and the circumstances therefore the overriding requirement is that employees are expected to act in a sensible manner and adhere to verbal instructions given by Management.

5.1 General

- It is the duty of all employees to co-operate with the Board of Governors in fulfilling our legal obligations in relation to health and safety.
- Employees must not intentionally or recklessly interfere with anything provided in the interests of health, safety or welfare.
- Employees are required to notify to management of any unsafe activity, item or situation.

5.2 Working Practices

- Employees must not operate any item of plant or equipment unless they have been trained and authorised.
- Employees must make full and proper use of all equipment guarding.
- Employees must not clean any moving item of plant or equipment.
- Employees must not make any repairs or carry out maintenance work of any description unless authorised to do so.
- Employees must use all substances, chemicals, liquids etc, in accordance with all written instructions.
- Employees must not smoke except in prescribed areas.

5.3 Hazard / Warning Signs and Notices

- Employees must comply with all hazard/warning signs and notices displayed on the premises.

5.4 Working Conditions / Environment

- Employees must make proper use of all equipment and facilities provided to control working conditions/ environment.
- Employees must keep stairways, corridors, classrooms and work areas clear and in a clean and tidy condition.
- Employees must dispose of all rubbish, scrap and waste materials using the facilities provided.
- Employees must clear up any spillage or liquids in the prescribed manner.
- Employees must deposit all waste materials and substances at the correct disposal points and in the prescribed manner.

5.5 Protective Clothing and Equipment

- Employees must use all items of protective clothing/equipment provided as instructed.
- Employees must store and maintain protective clothing/equipment in the approved manner.
- Employees must report any damage, loss, fault or unsuitability of protective clothing/equipment to their supervisor.

5.6 Fire Precautions

- Employees must comply with all laid down emergency procedures.
- Employees must not obstruct any fire escape route, fire equipment or fire doors.
- Employees must not misuse any fire fighting equipment provided.
- Employees must report any use of fire fighting equipment to their supervisor.

5.7 Accidents

- Employees must seek medical treatment for work related injuries they receive by contacting a designated first aider. Upon returning from treatment they must immediately report the incident to their supervisor.
- Employees must ensure that any accident or injury treatment is properly recorded in the Accident Book.
- Employees must notify management of any incident in which damage is caused to property.

5.8 Health

- Employees must report to management any medical condition or medication which could affect the safety of themselves or others.
- Employees must co-operate with the management on the implementation of the medical and occupational health provisions.

5.9 School Transport

- Drivers must carry out prescribed checks of vehicles prior to use and in conjunction with the laid down checking procedure.
- Employees must not drive or operate any vehicles for which they do not hold the appropriate driving licence or permit.
- Employees must not carry unauthorised passengers or unauthorised loads.
- Employees must not use vehicles for unauthorised purposes.
- Employees must not load vehicles above the stated capacity.
- Employees must not drive or operate vehicles whilst suffering from a medical condition or illness that may affect their driving or operating ability.
- Employees must not drive whilst using a mobile phone or any other electronic device.

5.10 Rules Covering Gross Misconduct

An employee will be liable to summary dismissal if they are found to have acted in any of the following ways:

- a serious or wilful breach of Safety Rules
- unauthorised removal or interference with any guard or protective device
- unauthorised operation of any item of plant or equipment
- unauthorised removal of any item of first aid equipment
- wilful damage to, misuse of or interference with any item provided in the interests of Health and Safety or welfare at work
- unauthorised removal or defacing of any label, sign or warning device
- horseplay or practical jokes which could cause accidents
- making false statements or in any way deliberately interfering with evidence following an accident or dangerous occurrence
- misused any item of equipment, utensil, fitting/ fixture, vehicle or electrical equipment
- deliberately disobeying an authorised instruction
- misused chemicals or substances

ARRANGEMENT SUMMARY

6. ARRANGEMENT SUMMARY

6.1 Risk Assessments

Risk assessments will be undertaken by:

| | |
|---------------------------|--|
| Classroom: | Teachers |
| Maintenance: | Maintenance Department Manager |
| Cleaning: | Catering and Domestic Managers |
| Educational Visit: | Teachers or trip leading member of staff |
| Fire: | Facilities Manager |

6.2 Consultation with Employees

Health & Safety Committee Representatives are:

| | |
|---|-----------------------------------|
| Simon Linnitt & Dan Lloyd | Governor Representatives |
| Keith Perry | Campus Operations & SLT |
| Stuart Brewin | Estates & Facilities |
| Tania Edmondson | Domestic Services |
| Andy Bright | Maintenance Services |
| Kate Watson | Catering & Hospitality Services |
| Amandine Smilevich | Boarding |
| Allison Clark | IT & Senior Management Team (SMT) |
| Cath Dykes (SLT) & Carolyn Parker | Junior School |
| Emma Webster | Out of School Care |
| Rosanna Dawes & Harrison Stevens | Sports Centre |
| Matt Lloyd | PE Department |
| Zoe Aston | Equestrian |
| Natasha Sayers | Business Management Team (BMT) |
| Johannah Egan & Claire Settle | Art Department |
| Tracy Buckland, Jane Appleby & Lynn Fogg | Health Centre |
| Kate Champion (Faculty Head) & Camilla Gibson | Science Department |
| Gemma Chapman (Faculty Head) & Chris Glover | DT Department |
| | Teaching Generally |
| Andy Darvill | Radiation Protection Officer |
| Steph Tidey | Trips and Visits |

Minutes of meetings are available to view at:

| |
|--------------------------------------|
| Staff notice boards/ school intranet |
|--------------------------------------|

6.3 Building, Plant and Equipment Maintenance

The person responsible for the maintenance of plant and equipment is:

Maintenance Department Manager

6.4 Asbestos

The responsible person in control of asbestos in school is:

Facilities Manager

The asbestos register is located:

On the Central IT Drive - In the Facilities Office, Housekeeping Office and I.T Office

6.5 Safe Handling and Use of Substances

The person responsible for identifying hazardous substances and obtaining Data Sheets is:

| | |
|---------------------|----------------------------------|
| Maintenance: | Maintenance Department Manager |
| Cleaning: | Domestic Manager |
| Catering | Catering Manager |
| Classroom: | Head of Science and Head of D.T. |

6.6 Competency for Tasks

Induction training is the responsibility of:

Each Department Head

6.7 First Aid and Accidents

The First Aiders are:

Please refer to First Aid document on staff notice boards and First aid page in the Staff handbook

First Aid Boxes can be found at:

Various locations around the campus and within each mini bus.

The Accident Book is located:

On the school intranet: Evolve Accident reporting

The persons responsible for RIDDOR notifications are:

Director of Operations

6.8 Monitoring

Health and safety checks will be organised annually by:

Director of Operations

6.9 Fire

Escape routes and exits are checked by:

Teachers prior to lessons and other staff in their area of work

Alarms are tested weekly by:

Facilities Manager

Fire drills are organised termly by:

All departments and monitored by the Director of Operations

6.10 Educational Visits

The person responsible for co-ordinating educational visits is:

Deputy Headmaster, delegated to Outdoor Learning Coordinator

6.11 Contractors and Safety

The person responsible for approving contractors who work within school is:

Facilities Manager

6.12 Work Experience

The person responsible for co-ordinating students on Work Experience is:

The WEx Co-ordinator/Careers Officer

6.13 Covid-19

The people responsible for ensuring a Covid-safe environment is:

All staff monitored by SLT

ARRANGEMENTS

7. ARRANGEMENTS

7.1 Accident, Incident and Ill-Health Recording, Reporting and Investigation

This policy sets out the procedures that are to be followed when any employee, student, visitor or contractor has an accident, near miss or dangerous occurrence on the school's premises.

Employees who develop a work-related illness must also report via these procedures.

Definitions:

An **accident** is an unplanned event that causes injury to persons, damage to property or a combination of both.

A **near miss** is an unplanned event that does not cause injury or damage but could do so.

A **work-related illness** is illness that is contracted by an employee through the course of work as a result of activities carried out by the school.

7.1.1 The Accident Book

All accidents resulting in personal injury to a member of staff must be recorded on the Evolve Accident Reporting available on Firefly.

Completed Accident Report Forms on Evolve will be stored to comply with the requirements of the Data Protection Act.

Completed Accident Report Forms will be reviewed regularly by the Director of Operations to ascertain the nature of incidents that have occurred in the school. This review will be in addition to any investigation of the circumstances surrounding each incident.

All near misses must also be reported to the Director of Operations as soon as possible so that action can be taken to investigate the causes and to prevent recurrence.

Employees must ensure that they are aware of the process of logging an accident.

7.1.2 Reporting Requirements

Certain accidents causing injury, both fatal and non-fatal, certain occupational diseases and certain dangerous occurrences are reportable to the Enforcing Authority under the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR).

Specified injuries including the following reportable events must be reported by the quickest means practicable, usually the telephone:

- A death
- A specified injury to an employee as detailed in regulation 4
- An injury to a non-employee where that person is taken directly to hospital for treatment as a result of their injury
- Any dangerous occurrence
- Any employee diagnosed by a qualified medical practitioner as suffering from a disease specified in the Regulations
- Any employee diagnosed with a cancer caused by work-related exposure to a known carcinogen or mutagen

Incapacitation for work of a person for more than 7 consecutive days as a result of an injury caused by an accident at work must be notified within 15 working days.

To calculate whether the absence classifies as 'over 7-day':

- exclude the day of the incident if they went home or did not return to work on the day
- include weekends, bank holidays and weekdays (whether the person would normally work on them or not).

Example: If a person has an accident on Friday and comes back to work the following Friday, then count Saturday, Sunday, Monday and Tuesday etc but this is still only 6 days; however if their next day of work is the Monday it would count as 9 days and would be reportable.

Non-Consensual Violence

Major or over 7 day injuries to people at work arising from non-consensual violence are notifiable.

Reporting of accidents involving students or visitors

If a student or visitor has an accident this must be reported if:

- the person involved is killed or taken to hospital and;
- the accident arises out of or in connection with a work activity

Examples of 'in connection with a work activity' are:

- work organisation – supervision of a field trip
- plant or substances – lifts, machinery, experiments
- condition of premises, play grounds, play or PE equipment
- sports activities as part of the curriculum where there is death or hospitalisation
- playground accidents due the condition of the premises or inadequate supervision

For further advice on injuries, diseases or dangerous occurrences requiring notification please contact the **WorkNest Advice Line. (Tel: 0845 226 8393).**

Contact details for the Health and Safety Executive are:

Tel: 0845 300 9923 (Monday to Friday 8:30am to 5:00pm)

Website: www.hse.gov.uk

Information on notifications to the enforcing authority must also be sent to WorkNest Ltd.

The completed report form must be kept with other accident records and documents on the accident investigation.

Forms are kept to advise the insurers of a potential claim and to present to the Enforcing Authority in the event of an investigation.

Records are to be kept for 3 years from the date of the incident.

7.1.3 Investigation

All injury related accidents that are either notified to the Enforcing Authority or where a serious injury has occurred will be investigated:

- to ensure that all necessary information in respect of the accident or incident is collated
- to understand the sequence of events that led to the accident or incident
- to identify the unsafe acts and conditions that contributed to the cause of the accident or incident
- to identify the underlying causes that may have contributed to the accident or incident
- to ensure that effective remedial actions are taken to prevent any recurrence
- to enable a full and comprehensive report of the accident or incident to be prepared and circulated to all interested parties
- to enable all statutory requirements to be adhered to

The investigation will include obtaining signed witness statements, photographs and drawings as appropriate.

7.2 Asbestos

The school will protect employees, students and other persons potentially exposed to asbestos as far as is reasonably practicable. Everyone who needs to know about the presence of asbestos will be alerted. No one will be allowed to start any work that could disturb asbestos unless the correct procedures are to be employed.

This will be achieved by minimising exposure through the management of asbestos-containing materials in school premises by the following arrangements.

Assessment

The premises will be surveyed to determine whether asbestos-containing materials are present. It will be presumed that materials contain asbestos unless there is strong evidence to the contrary.

The amount and condition of the asbestos-containing material will be assessed and measures will be identified to ensure that airborne asbestos fibres are not present or formed in the workplace.

A Written Plan

A written plan or register that sets out the location of the asbestos-containing material and how the risk from this material will be managed will be prepared and steps will be taken to put the plan into action. The plan or register will be made available and the arrangements will be reviewed at regular intervals or when there has been a significant change to the organisation or personnel.

Access to Asbestos-containing Materials

Access to asbestos-containing materials in the premises will be controlled so as to prevent inadvertent disturbance of the material and the release of asbestos fibres. Procedures will be put in place to ensure that anyone liable to disturb asbestos-containing materials is made aware of their location.

Monitoring and Maintenance

The condition of all asbestos-containing materials or materials suspected of containing asbestos will be inspected at agreed intervals to ascertain that there has been no damage or deterioration. Where damage or deterioration is found the asbestos-containing material will be reassessed and repaired or removed as appropriate.

Training and Information

Employees who may come into contact with asbestos containing materials (ACM's) through the course of their work will receive adequate training and information such that they can recognise potential ACM's and know what precautions to take.

Asbestos-related Emergencies

Procedures to deal with asbestos-related incidents will be put in place (including the provision of information and warning systems) unless there is only a slight risk to the health of employees, students and others.

Arrangements for Controlling Work on Asbestos

Any work on, or removal of, asbestos-containing materials will be controlled to ensure that adequate precautions are taken to prevent the release of asbestos fibres.

Work with asbestos and asbestos-containing materials is to be carried out by a licensed contractor (licensed by the HSE) unless the work is exempted from the requirement for licensing.

Selection and Control of Contractors to Work on Asbestos-containing Materials

When contractors are engaged to work on school premises, adequate steps will be taken to ensure the contractors are competent and have sufficient skills and knowledge to do the job safely and without risks to health.

Only contractors licensed by the HSE will be used for the removal of asbestos-containing materials, unless the work involves the removal of materials in which:

- asbestos fibres are firmly linked in a matrix
- the exposure during the removal process is likely to be sporadic or of low intensity

Contractors hired to carry out building or allied trade work that will involve minor work with asbestos must comply with the Control of Asbestos Regulations 2012.

Procedures for Dealing with Health and Safety Issues

Where an employee raises a health and safety problem related to work with asbestos, the school will:

- take all necessary steps to investigate the circumstances
- take corrective measures where appropriate
- advise the employee of actions taken

Where a problem arises relating to the condition of, or during work on, asbestos-containing material, the employee must inform the Facilities Manager and in the case of an accident or emergency, respond quickly to ensure effective treatment.

7.3 Contractors

When working on school premises it is considered that contractors are joint occupiers for that period and therefore we have both joint liabilities in “common areas”. In order to meet our legal obligations with regard to contractors we will ensure that prior to engaging any contractor they are competent and that any works are carried out safely.

The following factors will be considered as part of our procedures for vetting contractors:

- sight of the contractor's own safety policy, risk assessments, method statements, permits to work, etc as applicable
- clarification of the responsibility for provision of first aid and fire extinguishing equipment
- details of articles and hazardous substances intended to be brought to site, including any arrangements for safe transportation, handling, use, storage and disposal
- details of plant and equipment to be brought onto site, including arrangements for storage, use, maintenance and inspection
- clarification for supervision and regular communication during work including arrangements for reporting problems or stopping work in cases where there is a serious risk of personal injury
- confirmation that all workers are suitably qualified and competent for the work (including a requirement for sight of evidence where relevant)
- evidence showing that appropriate Employers and Public Liability Insurance is in place

Clearly, it will not be necessary to go to such elaborate lengths if the contract is very short and will not create hazards of any significance. The complexity of the arrangements will be directly proportional to the risks and consequences of failure, and the need to ensure that our child protection and safeguarding procedures are complied with.

Similarly we have a parallel duty to the contractor and must ensure that the contractor is not put at risk by our own activities for the duration of the contract.

We will stop contractors working immediately if their work appears unsafe. Staff should report any concerns to the Facilities Manager immediately.

7.4 Communication and Consultation

It is a legal requirement for the school to establish arrangements to communicate and consult with employees on issues affecting their health and safety and to take account of their views.

To achieve this objective we will:

- Establish effective lines of communication via the Health and Safety Committee
- Involve and consult with employees through:
 - individual conversations
 - notice boards
 - internal publications
 - staff meetings
 - health and safety meetings
- Consult with employees when changes to activities, equipment, work methods etc. are to be introduced that may affect their health and safety
- Display the 'Health and Safety Law – What You Should Know' poster

7.5 Covid-19

The school will protect employees, students and other persons as far as is possible, from potential infection from Covid-19

This will be achieved by minimising possible infection through education and awareness in the limiting of close contact with other people and also hand and respiratory hygiene

Assessment

The risks are continued assessed in line with updates from the UK Government (including the UK Health and Security Agency) and the DfE.

A Written Plan

A written Covid Action Plan has been developed for both Senior and Junior Schools.

Monitoring

The risks around the Covid-19 will continue to be monitored and risk assessments adapted.

Training and Information

Employees have undertaken compulsory Covid Hygiene online training and have received specific training around the Covid Action Plan.

Covid Emergencies

There are procedures in place for dealing with a student or member of staff who develops symptoms of Covid-19 whilst in school.

7.6 Design and Technology and Science

This policy outlines the procedures for ensuring safe working in Design and Technology (Textiles Technology, Food Technology and Product Design) and Science. All staff are required to follow this policy to minimise risks to themselves, to students and to others. Teachers are expected to use this information to help them to plan lessons and decide if an activity can be carried out safely, giving consideration to the age and responsibility of the students.

Communication, information and training

The Heads of Faculties are responsible for ensuring that all staff are made aware of this policy and ensuring that the procedures are followed, providing suitable training or directing new staff to an appropriate member of staff, and for recording the dates and content of any training given.

Trainee teachers who are following a recognised teacher- training course must be supervised by a qualified teacher at all times when they are engaged in practical work. Such trainees may use machines and may show students how to use machines as part of the lessons that they are teaching provided that appropriate supervision is maintained. This supervision may be progressively reduced, depending on the competence of the individual trainee teacher. In such instances a specific risk assessment of the situation should be carried out, and the degree of supervision needed discussed with the Head of Department.

Generally, the department follows guidance in *BS 4163:2007 Health and safety for design and technology in schools and similar establishments – Code of practice* and is also licensed to use CLEAPSS. A copy of the code is available in school and all teachers within the department are given access to the CLEAPSS website.

Monitoring and checking

The school requires the D&T and Science departments to monitor the implementation of this policy. Records of monitoring are kept by the Head of Department.

Equipment and machines will be checked in accordance with current guidelines and records kept.

Risk assessments

The school follows the recommendation of the Health and Safety Executive to adopt published 'model' or 'general' risk assessments which the D&T department adapts to the school curriculum and facilities.

Whenever a new course is adopted or developed, all activities (including preparation and clearing-up work) are to be checked against the model risk assessments and significant findings incorporated into texts in daily use, i.e., the scheme of work, set of lesson plans, syllabus, technician notes.

If a model risk assessment for a particular operation involving hazards cannot be found in these texts, a special risk assessment must be completed.

Every activity is to be assessed for risk including working with simple hand tools as well as potentially hazardous processes such as wood machining. An attempt is made to balance the desire to eliminate risk with the need to reduce risk in order to maintain practical work, e.g. certain activities may be demonstrated in order to reduce the level of risk to students.

It is the responsibility of all staff and other adults to follow the relevant risk assessments and lesson plans.

Equipment Safety

New equipment will be purchased that is safe and suitable for the intended purpose and to comply with the *Provision and Use of Work Equipment Regulations*. Equipment listed by specialist educational

equipment suppliers is taken to meet these *Regulations* but all other equipment, especially gifts, are to be treated with caution and carefully assessed.

Use of guards

All staff in the department must use all guards and other safety devices on machines and other equipment at all times. Under no circumstances should any guard or other safety device be removed or not used to enable a task to be done. Any operation which cannot be done with guards and other safety devices in place must not be done.

Maintenance, Inspection and Testing of Equipment

All equipment and machinery must be maintained in a safe condition. To achieve this, equipment will be regularly maintained, inspected and, where necessary, tested.

There are 3 levels of inspection, maintenance and testing of equipment which must be carried out.

These are:

Level 1: A visual check by staff of equipment prior to its use or on a daily basis.

Level 2: A more formal visual inspection which should be carried out termly by staff. This requires checking equipment against an inventory using a checklist. Small items, e.g. hand tools, knives, can be banded together.

Level 3: Formal maintenance/inspection checks carried out by specialist contractors. This is normally undertaken annually except for LEV (Local Exhaust Ventilation) which is carried out every 14 months. This includes PAT testing, no electrical equipment should be used in the School unless it has in up to date PAT sticker.

When maintenance of equipment is carried out all machines must be isolated from the power supply and the fuses removed or the isolator locked off. A notice stating that the machine is under maintenance should be fixed to the machine. A risk assessment of the hazards involved in the task should be carried out before the work is started.

Recording of Inspections and Testing

All Level 2 formal inspections of equipment by members of staff should be recorded. An up to date record of Inspections will be maintained by the technicians on a weekly basis.

All Level 3 inspections/maintenance must be recorded. It is recommended that the subject leader and facilities manager holds records of examinations, tests and certificates. This information will be kept in the health and safety folder.

If any faults, or the need for maintenance, are identified at any time, they must be reported to the Head of Faculty. If the fault or need for maintenance makes the equipment unsafe, it must not be used and must be electrically isolated. An appropriate label must be clearly displayed on the equipment.

Pressure Vessels

Autoclaves and pressure cookers need periodic inspection, normally annually, under the Pressure Systems Safety Regulations. Records of examinations are kept on file.

Local exhaust ventilation

The school requires the regular testing of local exhaust ventilation equipment (dust extraction and fume extraction from heat treatment areas) every 14 months. The Facilities Manager has the responsibility

of seeing that this happens. The records of the tests are available for staff reference and for inspection by an HSE Inspector on file.

Room Safety

All practical rooms must be locked when not in use.

Unsupervised students must not be allowed in hazardous rooms.

When starting a practical lessons, staff should check that rooms are clear, all thoroughfares and room exists are free from obstruction, floors are dry and in a safe condition, and the lighting is adequate for the work being undertaken.

Fire doors must be unlocked and clear.

Only authorised staff are permitted to switch on the electricity and gas mains isolators. Students may not switch on these – not even under supervision.

Students must not use utensils, tools, machines or other equipment until they have been taught how to use them correctly.

Particular care should be given to the distribution and collection of hand-tools and of small items of equipment, the number and condition of which should be checked at both the beginning and the end of an activity or a lesson.

Only one person may operate a machine or piece of equipment at a time.

A specialist room may only be used for other curriculum activities if the person supervising the students understands room hazards in the room and can prevent them having accidents.

Supply or cover teachers must be given information on the room hazards; explaining the location and operation of main services such as electrical isolators, any local hazards and where help can be obtained.

Students and staff are not to eat or drink in a room/workshop - this includes break and lunch times. Gas and electricity must be switched off at the mains at the end of the day - the location of mains switches/taps is clearly indicated in each area.

Large volumes of shavings, sawdust and plastic cuttings are likely to constitute a fire hazard and so clearance and disposal must take place on a regular basis, rather than at the end of the day. Excessive dust from machining operations and 'walked in' dirt contribute to respiratory problems and should be removed by vacuuming on a regular basis, rather than by sweeping.

At the end of the day and particularly at weekends, all tool and storage cupboards should be locked, key switches and main electrical supplies isolated, gas valves closed, all machine tools and bench shears padlocked and all electrical equipment turned off. It is the responsibility of the teacher in charge of the room to make sure that all systems are safe, all hot items are cool and that everything is closed down safely before they leave the building.

All D&T areas are made safe for cleaners or contractors to work in before these persons are allowed to proceed.

Storage

Storage must be kept well organised and tidy. Large items should not be stored high and proper stepladders or similar must be available for reaching high shelves safely.

All chemicals should be stored in accordance with the COSHH Regulations and risk assessments must be in place dealing with their safe use.

Standing on benches, chairs, tables to watch a demonstration/get equipment etc. is not permitted.

Sharp tools and utensils must be stored so that accidental contact with the sharp part is unlikely and they must be securely locked when not in use.

All materials which are hazardous, for example they may be toxic, flammable or corrosive, must be clearly labelled. The labelling must state the material and the nature of the hazard(s).

Keep all working quantities of these materials to a minimum.

Access to hazardous materials must be restricted to authorised staff only (technicians).

All hazardous materials must be stored away from direct access by students.

Stocks of flammable liquids must be stored in a lockable fire-resistant cabinet in a well-ventilated stockroom.

All sharp Design Technology Food knives must be stored in the locked store cupboards.

All sharp craft knives must be stored in a locked cupboard or room.

No sharp knives may be left unattended in a classroom.

Shelving

Shelves must not be overloaded and heavy materials must not be stored high up.

Proper stepladders must be provided for access to shelving beyond easy reach from the floor.

Safety Signs, Notices and Displays

Each workroom must have a set of safety rules and procedures displayed clearly. Cautionary notices and signs must be displayed where appropriate.

Personal Protective Equipment

The School accepts the duty to provide eye protection, gloves, overalls and aprons for employees where the risk assessment requires them and safety spectacles for students.

Eye protection must be worn by all staff and students when using any machine or when soldering using soldering irons. Eye protection must be used for any other operation where the risk assessment shows it is required. Eye protection must conform to BS EN166.

The employer expects eye protection to be available for students and visitors. Safety spectacles are provided for general use, with a set of goggles or face shields used whenever the risk assessment requires them.

The condition of the eye protection is checked at the start of each term.

Protective clothing such as aprons must be used in lessons where students could get dirty during practical work, or where hazardous materials are being used.

Emergency procedures

In the event of a fire sound the fire alarm.

On hearing the fire alarm staff should turn off the gas, electric and any machinery or equipment and make their way to the assembly point.

In the event of a fire and if it is safe to do so staff must attempt to extinguish a fire using the appropriate fire extinguisher.

7.7 Disabled Persons including students with Special Education Needs or Disability (SEND)

The school will give full and proper consideration to the needs of disabled employees, students and visitors.

To achieve this, the school will:

- treat all disabled employees, students and visitors with respect and dignity, both in the provision of a safe working environment and in equal access to the school's facilities
- the School recognises and accepts its responsibilities under the law and opposes discrimination on the basis of:
 - disability
 - gender reassignment (see Sidcot Transgender Plan – appendix 1)
 - pregnancy and maternity
 - race
 - religion or belief (including where an individual does not subscribe to a particular religion or belief)
 - gender
 - sexual orientation and (in the case of adult members of the School Community)
 - marital or civil partnership status and age
- ensure that risk assessments are undertaken of the special needs of the disabled and carry out reasonable adjustments to the premises and/or employment arrangements
- encourage employees with special needs to suggest any premises or task improvements to their line managers
- discipline any employees found treating their disabled colleagues with less than the expected standards of respect and dignity
- in an emergency evacuation, ensure suitable plans are in place which will assist disabled people to leave the premises swiftly
 - The school has an on-going duty to make 'reasonable adjustments' for disabled students and students with special educational needs in respect of the education and associated services provided, to ensure that such students are not placed at a substantial disadvantage in comparison with other students.

Risk assessment of students with Special Education needs will consider:

- manual handling of students with physical disabilities
- students unable to recognise everyday hazards, communicate distress, or move around independently
- using mechanical aids and equipment
- using therapy and ball pools
- administering medical treatment and minimising the risk of infection

- management of difficult behaviour and the use of restraint
- lone working where an employee works on a one-to-one basis with a SEND student; and transport issues such as getting learning disabled or physically disabled students in and out of transport and making sure that access to the premises is appropriate

When to assess

So far as is reasonably practicable risk assessments of the students with special education needs will be made:

- before students are admitted – this is a planning ahead exercise
- when planning educational activities both on and off site
- when planning and purchasing new facilities and when work practices are to be introduced or changed
- when deciding on a placement
- when an existing student develops a health need, e.g. after an operation, or where a significant change in their existing needs occurs
- when a student is to undertake work experience

7.8 Display Screen Equipment

All reasonable steps will be taken by the school to secure the health and safety of employees and students who work with display screen equipment.

To achieve this objective the school will:

- identify those employees who are users as defined by the regulations, see below
- carry out an assessment of each user's workstation
- implement necessary measures to remedy any risks found as a result of the assessment
- provide adequate information and training to persons working with display screen equipment
- endeavour to incorporate changes of task within the working day, to prevent intensive periods of on-screen activity
- review software to ensure that it is suitable for the task and is not unnecessarily complicated
- arrange for the provision of free eye tests when requested, at regular intervals thereafter and where a visual problem is experienced
- arrange for the supply, at subsidised cost, any corrective appliances (glasses or contact lenses) where these are required specifically for working with display screen equipment
- advise existing employees, and all persons applying for work with display screen equipment, of the risks to health and how these are to be avoided

- investigate any discomfort or ill-health believed to be associated with the use of display screen equipment and take appropriate remedial action
- make special arrangements for individuals with health conditions that could be adversely affected by working with display screen equipment

‘Users’

This policy is aimed at those who regularly use DSE:

- a) for continuous periods of more than one hour *and*
- b) for more than 2½ hours per day

Typically this will therefore apply to administrative functions, the teaching of computer skills and other prolonged users. Others who operate DSE, including students, should have a workstation which meets the standards set down in the regulations but are not entitled to financial contributions.

Employees must:

- comply with the instructions and training given regarding safe workstation set-up and use, including the need for regular changes of activity or breaks and the use of the equipment provided
- inform their manager of any disability or health condition which may affect their ability to work using display screen equipment or be affected by working with DSE (this information will be treated confidentially)
- report to their manager any discomfort or health concern believed to be associated with the use of DSE (this information will be treated confidentially)

Eye tests

Under the DSE regulations staff identified as DSE users are entitled to an eyesight test, every 2 years by a qualified optician (and corrective glasses if required specifically by the Optician for DSE use).

Summary of Key Actions

The key actions necessary to control the health and safety risks arising from the use of Display Screen Equipment (DSE) are to:

- identify all individuals who are classified as DSE 'Users'
- ensure risk assessments of DSE workstations been carried out using the Display Screen Equipment Workstation Assessment Form
- supply users with information and/or training on the safe use of Display Screen Equipment
- advise staff about setting up laptops on a suitable surface and the risks of working for prolonged periods
- ensure remedial actions identified by DSE risk assessments been carried out
- review risk assessments annually or sooner if significant changes have occurred.

7.9 Driving

The School is committed to reducing the risks to its staff, students and others when being driven in the school minibus and therefore will:

- ensure risk assessments are completed and that journeys are planned
- not put unreasonable time constraints on travel
- ensure drivers are competent and fit to drive
- provide any additional training that may be deemed necessary to reduce driving related occupational risks
- provide sufficient information and guidance for drivers to enable them to understand the additional occupational risks involved in driving
- require drivers to annually submit a Drivers Declaration Form and authorise the School to access and check their on-line licence details
- provide adequate insurance for the vehicle, the driver, occupants and third parties
- maintain them to the required legal standard and ensure suitable for their purpose
- provide and maintain additional tools and equipment necessary for the purposes of the journey
- provide access to breakdown support and recovery
- provide no smoking signs for inside the vehicle
- ensure the vehicle carries a suitably equipped first aid box

Drivers

Drivers will remain responsible for their safety and others and must comply with the Highway Code and Road Traffic Act.

It is the responsibility of drivers to inform the Operations Manager of:

- anything that could affect their driving e.g. health conditions or injuries, use of prescribed medication and complete and submit the Driver Declaration Form
- changes to licence such as limitations, or being put under investigation or charged or convicted of an offence or offences, or a period ban
- vehicle defects that affect ability / safety to drive
- any accidents / incidents that occurred whilst driving on behalf of the School

Before driving, drivers must:

- review the need to travel
- have a valid licence for the vehicle they are driving

- carry out a pre-use vehicle check
- allow sufficient time to drive allowing for traffic, poor weather and rest breaks
- ensure sufficient rest
- be physically fit, with zero alcohol level and not under the influence of drugs that may affect the ability to drive
- adjust their driving position, head restraints and mirrors to ensure maximum comfort and safety

Whilst driving, drivers must:

- drive in accordance with the applicable law and with consideration for the safety of passengers and other road users
- take regular rest breaks every 2-3 hours or at first signs of tiredness
- remain in control of the vehicle at all times
- not smoke
- not use a mobile phone or other electronic device

7.10 Educational Visits

Please refer to policy 2.9 educational trips and visits policy.

7.11 Electricity

All reasonable steps will be taken to secure the health and safety of employees, students and others who use, operate or maintain electrical equipment.

To ensure this objective the school will:

- ensure electrical installations and equipment are installed in accordance with IEE Wiring Regulations
- maintain the fixed wiring installation in a safe condition by carrying out routine safety tests
- inspect and test portable and transportable equipment as often as required to ensure safety
- inspect and test second-hand electrical equipment lent to, or borrowed by, the school
- promote and implement a safe system of work for maintenance, inspection and testing
- forbid live working unless absolutely necessary, in which case a permit must be issued
- ensure employees and contractors who carry out electrical work are competent to do so
- maintain detailed records

Employees must:

- visually check electrical equipment for damage before use
- report any defects found to their manager. However, if there is any doubt whether the equipment is safe then it should be labelled 'out of use' and withdrawn until it has been tested and declared fit for use by a qualified person
- not use defective electrical equipment
- not carry out any repair to any electrical item unless qualified to do so
- switch off non-essential equipment from the mains when left unattended for long periods
- not bring any electrical item onto school premises until it has been tested and a record of such a test has been included in the appropriate record
- not leave electric cables in such a position that they will cause a tripping hazard or be subject to mechanical damage
- never run extension leads under carpets or through doorways
- not daisy-chain extension leads to make a longer one
- not use adapter sockets – devices that plug into mains sockets to increase the number of outlets
- follow guidelines outlined in the Electrical Safety Leaflet

Summary of Key Actions

The key actions necessary to control the health and safety risks arising from electricity are as follows:

- The main electrical installation should be tested every five years except for those parts of schools with:
 - a) a licensed area
 - b) lightning protection which should be tested annually
- Retain copies of electrical test certificates
- A record must be kept of all portable items of electrical equipment showing:
 - a) the detail of the item
 - b) the date of acquisition
 - c) details of any inspection, testing or repair work
- arrange for the inspection and testing of portable electrical devices

7.12 Fire

All reasonable steps will be taken to prevent a fire occurring. In the event of fire, the safety of life will override all other considerations, such as saving property and extinguishing the fire.

In order to prevent fire and to minimise the likelihood of injury in the event of a fire the School will:

- assess the risk from fire at our premises and implement appropriate control measures
- ensure good housekeeping standards are maintained to minimise the risk of fire
- provide and maintain safe means of escape from the premises
- develop a fire evacuation procedure for all buildings
- provide and maintain appropriate fire-fighting equipment including the sprinkler system
- provide sand buckets in the Science Department as a precaution when using flammable metals
- regularly stage fire evacuation drills, inspect the means of escape and test and inspect fire-fighting equipment, emergency lighting and any fire warning systems
- provide adequate fire safety training to employees, plus specialist training to those with special responsibilities
- make arrangements for the safe evacuation of deaf or otherwise disabled persons
- make arrangements for ensuring all students and visitors are made aware of the fire evacuation procedures
- display fire action notices
- keep fire safety records

The School does not require persons to attempt to extinguish a fire, but extinguishing action may be taken if it is safe to do so.

Immediate evacuation of the building must take place as soon as the evacuate signal is given. All occupants, on evacuation, should report to the pre-determined assembly points.

Re-entry of the building is strictly prohibited until the fire brigade officer or a senior person present declares it is safe to do so.

Employees are encouraged to report any concerns regarding fire procedures so the school can investigate and take remedial action if necessary.

Summary of Key Actions

The key actions required to ensure fire safety is effectively managed are:

- a) complete and review annually a fire risk assessment
- b) arrange for fire safety checks to be completed and recorded for the following:
 - fire evacuations (drills)
 - fire alarm tests
 - fire escape route checks
 - extinguisher checks
 - emergency lighting tests

- post fire evacuation notices
- c) develop personal evacuation plans (PEEP) for people with special needs
- d) provide fire safety training
- e) service the fire alarm, emergency lighting and sprinkler system as appropriate

FIRE MAINTENANCE/TEST PROCEDURES

| FIRE DRILLS | | |
|---|---|---|
| TERMLY Fire Evacuations must be carried out at least once in each term. | Ensure all occupants are able to evacuate to a place of safety in a reasonable time. | Record details of drill, evacuation time and any problems. |
| FIRE ALARM PANEL / SYSTEM | | |
| DAILY | Check fire alarm panel for normal working conditions | Report any faults and actions. |
| WEEKLY | <p>Fire alarm audibility test conducted at a different call point tested each week in rotation. Number each call point for identification. (each zone to be tested every 13 weeks).</p> <p>Check alarm is audible in all areas (test to be carried out during full occupation).</p> <p>Check that any fire doors on automatic door closures linked to the fire alarm are closing properly.</p> <p>Check any doors fitted with electromagnetic locks are released.</p> | <p>Record details of call point test and call point number. Repair / replace defective units.</p> <p>Managed by the Facilities Manager</p> |
| SIX MONTHLY | <p>For systems with battery back up, a six monthly battery check by a competent service engineer is required.</p> <p>This check may also include 50% of the automatic smoke / heat detectors, sounders and manually operated devices.</p> | <p>Site to keep maintenance records</p> <p>Managed by the Facilities Manager</p> |
| ANNUALLY For 230 volt systems without battery back up | <p>An annual test and examination of the alarm system by a competent service engineer is required.</p> <p>Test and examination of alarm system by competent service engineer including all automatic smoke / heat detectors, sounders and manually operated devices.</p> | <p>Site to keep maintenance records.</p> <p>Managed by the Facilities Manager</p> |

| MEANS OF ESCAPE | | |
|--------------------------------|---|---|
| DAILY | <p>Check for any obstructions on escape routes (internally and externally)</p> <p>Doors: check self-closing devices, and that push bars/ other emergency fastening devices are operational</p> | <p>Site to record details and actions only if there is a fault reported by users</p> |
| WEEKLY | <p>Check all internal fire doors for ease of opening, that they are a good fit, closing fully, fire door seals and self-closures working correctly, correctly signed etc.</p> | <p>Site to record details and actions only if there is a fault.</p> <p>Managed by the Facilities Manager</p> |
| MONTHLY | <p>Check all electronic release mechanisms on escape doors work correctly (i.e. fail safe in the open position on activation of alarm / loss of power)</p> | <p>Site to record details and actions only if there is a fault.</p> <p>Managed by the Facilities Manager</p> |
| FIRE FIGHTING EQUIPMENT | | |
| WEEKLY | <p>Check all extinguishers, fire blankets etc. are available for use, undamaged and unobstructed.</p> <p>Extinguishers properly affixed to wall brackets or on plinths.</p> <p>Check for any evidence of tampering.</p> | <p>Site to record details and actions only if there is a fault.</p> <p>Managed by the Facilities Manager</p> |
| ANNUALLY | <p>Full check and test of extinguishers, fire blankets etc. by competent service engineer.</p> | <p>Maintenance records to be kept on site.</p> <p>Managed by the Facilities Manager</p> |

| FIXED SYSTEMS (WHERE APPLICABLE, e.g. Sprinkler systems) | | |
|--|---|--|
| Frequency specified by installer | <p>Programme of inspections and checks dependant on type of system and to be specified by installer.</p> <p>E.g. weekly checks on water and air pressure gauge readings, water levels in storage tanks. Weekly test on automatic pump and diesel engines etc.</p> | <p>Maintenance records to be kept on site.</p> <p>Managed by the Facilities Manager</p> |
| ANNUALLY or to insurance / installers guidelines | Formal inspection and testing of fire sprinkler system | <p>Maintenance records to be kept on site.</p> <p>Managed by the Facilities Manager</p> |
| EMERGENCY LIGHTING (WHERE APPLICABLE) | | |
| DAILY | <p>Check indicator lights functioning (report faults to contractor)</p> <p>Operate and replace batteries in torches if necessary.</p> | <p>Site to record details and actions only if there is a fault</p> |
| MONTHLY | In -house operational test for a short period (a maximum of one quarter of the rated duration). | <p>Maintenance records to be kept on site.</p> <p>Managed by the Facilities Manager</p> |
| YEARLY | Emergency lighting full duration discharge test by competent person. | <p>Maintenance records to be kept on site.</p> <p>Managed by the Facilities Manager</p> |

Fire Safety Training in School

The school will provide adequate fire safety training for staff. The type of training should be based on the particular features of the school and should:

- take account of the findings of the fire risk assessment;
- explain the emergency procedures;
- take account of the work activity and explain the duties and responsibilities of staff;
- take place during normal working hours and be repeated periodically where appropriate;
- be easily understandable; and
- be tested by fire drills.

Students will also be involved in some aspects of fire safety training, particularly with respect to fire drills, etc.

The organisation of fire safety training will include the following:

- what to do on discovering a fire
- how to raise the alarm and what happens then
- what to do upon hearing the fire alarm
- the procedures for alerting students, members of the public and visitors including, where appropriate, directing them to exits
- the arrangements for calling the fire and rescue service
- the evacuation procedures for everyone in your premises (including young children or mobility impaired persons) to reach an assembly point at a place of total safety
- the location and, when appropriate, the use of fire- fighting equipment
- the location of escape routes, especially those not in regular use
- how to open all emergency exit doors
- the importance of keeping fire doors closed to prevent the spread of fire, heat and smoke
- where appropriate, how to stop machines and processes and isolate power supplies in the event of a fire
- the reason for not using lifts (except those specifically installed or nominated, following a suitable fire risk assessment, for the evacuation of people with a disability)
- the safe use of and risks from storing or working with highly flammable and explosive substances
- the importance of general fire safety, which includes good housekeeping; and
- the use of premises by outside bodies, e.g. IT training, music, etc

All staff identified in the emergency plan that have a supervisory role if there is a fire (e.g. heads of department, fire marshals or wardens and, in complex premises, fire parties or teams), should be given details of your fire risk assessment and receive additional training.

In addition to the guidance above as a minimum all staff should receive training about:

- the items listed in your emergency plan
- the importance of fire doors and other basic fire-prevention measures
- where relevant, the appropriate use of fire- fighting equipment
- the importance of reporting to the assembly area
- exit routes and the operation of exit devices, including physically walking these routes
- general matters such as permitted smoking areas or restrictions on cooking other than in designated areas
- assisting disabled persons where necessary

Training is necessary:

- when staff start employment or are transferred into the premises
- when changes have been made to the emergency plan and the preventive and protective measures
- where working practices and processes or people's responsibilities change
- to take account of any changed risks to the safety of staff, students or other relevant persons
- to ensure that staff know what they have to do to safeguard themselves and others on the premises; and where staff are expected to assist disabled persons

Training should be repeated as often as necessary and should take place during working hours.

Enforcing authorities will want to examine records as evidence that adequate training has been given.

Training of students

We provide staff and students with basic fire safety training so that they are aware of the actions to be taken in the event of a fire. This includes instruction on the:

- details of the evacuation plan
- importance of fire doors and other basic fire-prevention measures
- importance of reporting to the assembly area
- exit routes and the operation of exit devices

7.13 First Aid

This policy complies with the Independent Schools Standards, the Health and Safety at Work Act 1974 and subsequent regulations and Guidance including the Health and Safety (First Aid) Regulations 1981, and the Approved Code of Practice and Guidance for the Health and Safety (First Aid) Regulations 1981.

The school is committed to providing sufficient provision for first aid to deal with injuries that arise at work or as a consequence of school activities.

To achieve this objective the school will:

1. appoint and train a suitable number of first aid personnel
2. display first aid notices with details of first aid provision
3. provide and maintain suitable and sufficient first aid facilities including first aid boxes
4. provide any additional first aid training that may be required to deal with specific first aid hazards

First Aiders

A First Aider is a person who has a valid certificate in either first aid at work or emergency first aid at work training. The current list of First Aiders can be found on the School intranet: <http://intranet.sidcot.org.uk/staff-handbook/health-and-safety-1/first-aid>

First Aiders training will be refreshed every three years by undertaking the two day First Aid at Work requalification. (This may be taken up to 3 months before / 28 days after the expiry date on the certificate).

First aid personnel will be provided with refresher training at regular intervals to keep their skills up to date.

The number of first aiders required will be determined by completing a risk assessment. The HSE provide some general guidance on the number of first aiders required and expected provision is illustrated below:

| Category of Risk | Numbers employed at any one location | Suggested Number of First Aid Personnel |
|---|--------------------------------------|---|
| Lower Hazard (Most schools fall into this category) | fewer than 25 | - at least one Appointed Person - <i>it is recommended they receive Emergency First Aid at work training (EFAW)</i> |
| | 25 -50 | - at least one first aider trained in (EFAW) |
| | more than 50 | - at least one first aider trained in first aid at work (FAW) for every 100 employed (or part thereof) |
| Higher Hazard | fewer than 5 | - at least one Appointed Person - <i>it is recommended they receive Emergency First Aid at work training (EFAW)</i> |
| | 5-50 | - at least one First Aider trained in EFAW or FAW |
| | more than 50 | - at least one additional First Aider trained in FAW for every 50 employed (or part thereof) |

The numbers of first aid personnel will be determined by individual circumstances, the level of risk and in line with current government guidance.

Additional First Aid Provision

In addition to the above in higher risk areas such as science, D&T, PE etc. at least one person will be trained to a minimum level of emergency first aid.

In addition to the above in specific risk areas such as EYFS at least one person who has a paediatric first aid certificate must be on the premises and available at all times when children are present and must accompany EYFS children on outings. Note that a full or emergency PFA certificate is now a requirement for level 2/3 EY workers who qualified on or after 30 June 2016 in order to be included in the ratios.

Adequate first aid provision will include cover for break times.

First aid provision will be available at all times whilst people are present on school premises including out of hours activities. The assessment of need will be reviewed at least annually.

First Aid Boxes

First aid kits, clearly marked, will be provided in the Health Centre and other readily accessible locations and be made known to all staff and students. The locations of First Aid boxes is listed on staff notice boards.

Additional first aid boxes will be provided on sports fields and for offsite visits.

First aid containers will also be available within specific curriculum areas where an increased risk exists e.g. Design and Technology workshops.

Travel first aid boxes will be kept in minibuses.

First aid boxes will contain a sufficient quantity of suitable first aid materials and nothing else.

First aid does not include the administration of medicines and thus first aid boxes should NOT contain drugs of any kind including aspirin, paracetamol, antiseptic creams etc.

First aid boxes should be located near to hand washing facilities as far as possible.

All first aid boxes will be checked regularly and maintained by a designated member of staff, items should not be used after expiry date shown on packaging. Extra stock will be kept in the school.

Suitable protective clothing and equipment such as disposable gloves (e.g. vinyl or powder free, low protein latex CE marked) and aprons will be provided near the first aid materials.

Blunt-ended stainless steel scissors (minimum length 12.7 cm) will be kept where there is a possibility that clothing might have to be cut away. These will be kept together with items of protective clothing and equipment.

Small quantities of contaminated waste (soiled or used first aid dressings) can be safely disposed of via the usual refuse collection arrangements. Waste to be double bagged in plastic and sealed by knotting.

First Aid Rooms

The first aid room, where provided, is equipped with a sink and accessible WC.

First Aid Information

Notices are posted in conspicuous positions within a school, giving the location of first aid equipment and facilities and the name(s) and location(s) of the first aid personnel.

New and temporary employees are to be told of the location of first-aid equipment and first aid personnel, and facilities on the first day they join the school as part of the induction training.

First Aid Records

The School ensures that the following records are available:

- certification of training for all first-aiders and refresher periods
- any specialised instruction received by first-aiders or staff (e.g. Epi-pens)
- first aid cases treated (see accident / incident reporting)

Guidelines on Responding to Injuries

Minor injuries

The following injuries are considered minor and capable of being dealt with by a first aider in school: grazes, small scratches, bumps, minor bruising, minor scalding or burns resulting in slight redness to the skin.

Injuries requiring medical attention:

- a deep cut
- long cuts, which are considered to be approximately 2.5cm when on the hand or foot and 5cm when elsewhere on the body
- a jagged cut
- the injury involved a pet, especially a cat
- where the injury involved a wild animal
- where the injury is due to a bite, either human or animal
- where the wound has debris stuck in it after cleansing
 - where the wound is bleeding heavily
- where the wound will not stop bleeding after applying direct pressure for 10 minutes
- where the injury is a puncture wound

Head injuries

Please refer to medical policy 4.1.

Injuries to the head need to be treated with particular care. Where symptoms indicating serious injury are NOT present, the head injury advice note is to be given to the injured party by the first aider attending to take home with them. Any evidence of following symptoms may indicate serious injury and an ambulance must be called:

- unconsciousness, or lack of full consciousness (i.e. difficulty keeping eyes open)
- confusion
- strange or unusual behaviour – such as sudden aggression
- any problems with memory
- persistent headache
- disorientation, double vision, slurred speech or other malfunction of the senses
- nausea and vomiting
- unequal pupil size
- pale yellow fluid or watery blood coming from ears or nose

- bleeding from scalp that cannot quickly be stopped
- loss of balance
- loss of feeling in any part of body
- general weakness
- seizure or fit

Procedure in the event of an accident or injury

9.1. If an accident occurs the member of staff in charge will assess the situation and decide on the next course of action in a timely manner, which may involve calling immediately for an ambulance. During term time, and if necessary, the Health Centre should be called for as soon as is possible. Where appropriate the student will be accompanied by another student to the Health Centre. However years J5 and below will be accompanied by a member of staff to the Health Centre. The Health Centre will decide on the next course of action and provide the first aid as required. A first aider should be called for if the Health Centre is not available immediately or out of hours and during holiday periods. The list of first aiders and contact number is posted around the school.

9.2. In the event that the first aider does not consider that they can adequately deal with the presenting condition by the administration of first aid, then they should arrange for the injured person to access appropriate medical treatment without delay from the Health Centre or by dialing 999. The injured student must not be left unattended.

9.3. Ambulances: If an ambulance is called then the Health Centre Nurse or first aider in charge should make arrangements for the ambulance to have access to the accident site. Arrangements should be made to ensure that any student is accompanied in the ambulance, or followed to hospital, by a member of staff. Parents will be contacted as soon as possible.

Procedure in the event of illness- please refer to medical policy 4.1

Hospital Admission

Where a student is required to attend hospital using an ambulance it is not necessary to accompany a student to hospital. If parents are unable to attend hospital promptly, a member of staff should go to the hospital.

If a child is taken directly to hospital they will be accompanied by a member of staff who will stay with the student until discharged or until a handover can be made to a parent or guardian.

The member of staff at the hospital must update the senior teacher on the condition of the injured student as and when information is made available.

The parent/guardian of a student attending hospital must be advised at the earliest opportunity.

Support for the injured student and their parents will be provided as determined by the individual circumstances of the incident.

Automated External Defibrillator (AED)

An Automated External Defibrillator (AED) is kept in a secure box beside the main entrance to the Senior School. In order to stop misuse or deter tampering, to gain access one must break the glass panel to get the key for the cabinet - when the cabinet is opened an alarm will sound. The alarm stops when the door is shut or by flicking a switch on the alarm itself; it is very basic and there as a deterrent.

If a member of staff notices that it has been tampered with, broken or hears the alarm going off they must inspect it and report to the Sports Hall Manager immediately.

In a genuine emergency the standard procedure should be followed; in addition, when the first aider attending requests an ambulance, the AED should also be taken to the scene.

Blood and Body Fluid Spillages

It is important that spillages of blood, faeces, vomit or other body fluids are dealt with immediately, as they pose a risk of transmission of infection and disease, e.g..blood borne viruses and diarrhoeal and vomiting illnesses, such as norovirus.

The area must be ventilated.

A spillage kit is available in school to deal with blood and body fluid spillages. The kit is located in the Housekeeping Department.

Anyone not involved with the cleaning of the spillage should be kept away from the area and protective clothing should be worn when dealing with the spillage such as gloves and aprons.

The person responsible for checking and replenishing the kit regularly is the Catering and Domestic Manager.

Spillage Procedure

Cordon off the area where the spillage has occurred.

Cuts and abrasions on any areas of the skin will be covered with a waterproof dressing. Use personal protective equipment and clothing to protect body and clothes; disposable gloves and apron must be worn.

Hard surfaces e.g. floor tiles, impervious table tops.

Small spills or splashes of blood

- clean with neutral detergent and hot water.

Large spills

- remove spillage as much as possible using absorbent paper towels
- flush these down toilet or dispose of carefully in waste bag
- cover remaining with paper towels soaked in diluted bleach solution (1:10 dilution with cold water)
- leave for up to 30 minutes, and then clear away

Alternatively, large spills may be covered with granules from the spillage kit for two minutes. Spillage and granules must be carefully removed with paper towels and disposed carefully into a waste bag. Clean area with neutral detergent and hot water.

Soft surfaces and fabrics e.g. carpets and chairs

- remove the spillage as far as possible using absorbent paper towels
- then clean with a fresh solution of neutral detergent and water
- carpets and upholstery can then be cleaned using cleaner of choice

- steam cleaning may be considered
- wash hands after procedure.

Contaminated gloves, aprons, paper towels, etc must be carefully disposed of into a leak proof plastic bag, securely tied and placed immediately into the normal external school waste container. Large quantities of contaminated waste should be disposed of in consultation with the local waste authority.

As with other all hazardous substances used in school; bleach and disinfectants must be stored, handled and used in accordance with COSHH (Control of Substances Hazardous to Health, 2002) Regulations and the manufacturer's instructions. Product data sheets and safe use instructions should be accessible, along with risk assessments and details of actions required in the event of accidental ingestion, inhalation or contact with skin or eyes.

All chemicals must be stored in their original containers, in a cool, dry, well-ventilated place that is lockable and inaccessible to children, visitors and the public.

Appropriate protective clothing (e.g. gloves and aprons) should be worn when handling bleach and other chemical disinfectants. Contact with skin, eyes and mouth should be avoided.

7.14 Food Science

The teaching of Food Science must be carried out to ensure the safety of students and teachers; in addition the food prepared in school must be handled and served to comply with good hygiene practice to make sure the food is safe to eat.

Food Hygiene Training

The School will ensure that Food Science teachers and any persons who support teaching programmes are competent in all aspects of food hygiene that they are required to teach to ensure that students are provided with appropriate experience to enable them to work correctly and safely. Level 2 awareness training in Food Safety is considered the minimum qualification.

Food hygiene training will be obtained by attending certificated courses which are regularly reviewed, updated and refreshed every three years.

Key Considerations for Teaching Food Science

Food preparation rooms and classrooms provided are of sufficient size to allow people to work and circulate around the room with ease.

Class size can be determined by considering factors such as the size of the room, the equipment available, the age and ability of the students and the experience of the staff. Teachers must work within safe operating limits so that there is a safe teaching and learning environment and that they are able to provide adequate supervision for hazardous activities.

Staff are provided with safe equipment and systems that are regularly checked, inspected and maintained in an efficient state to recognised standards, with records kept. In addition to PAT testing this includes the servicing of gas equipment, fridge and freezer temperature checking, equipment guard checks, where appropriate.

Teachers will be trained to the standards specified in Health and Safety Training Standards in Design and Technology published by the Design & Technology Association (DATA).

Teachers will teach students about general health and safety requirements relating to the working environment and instil in them the need to work safely at all times.

The students will be made aware of the hazards involved when working using processes, equipment and materials in various situations. They will be taught to assess the risks and identify the control measures taken, to help ensure the health and safety of themselves and others, and reference will be made to the appropriate British Standards.

Lessons will be planned ahead to avoid risk. Work will be planned to involve the use of a wide range of food, food components and equipment to complete focused practical tasks. Student ability, knowledge, maturity, experience and special needs must be taken account of, to provide challenging tasks and potential for achievement.

Teachers should be aware that because of their inexperience, students working with food require a high level of supervision, and should not be left unattended.

Students with special needs may have poor coordination, slow reaction times and variable levels of concentration which require extra support and guidance. This will affect the teaching capacity/group size and may require additional support. Sometimes students can be paired with responsible peers to ensure safe working practices.

Teaching sessions must be long enough to complete processes without too high a percentage of time being taken up preparing for and tidying up afterwards. Short sessions can lead to frustration of both staff and students, as there is often insufficient time for full processes to be completed. Very long sessions without a break can give rise to problems with concentration.

Additional teaching support in lessons not only reduces risk, but facilitates demonstration and allows for more practical work to be undertaken to the advantage of the students.

Manual Handling

It is recommended that trolleys are used for carrying heavy equipment and foodstuff.

Sugar and flour are best purchased in small containers, despite the possible cost savings from purchasing bulk containers.

The use of high-level storage should be avoided. Where this is not possible there must be safe procedures for access to such storage and the provision of suitable and adequately maintained steps/footstools.

Personal Protective Equipment

Appropriate protective equipment, clothing, and storage of such, will be provided including suitably sized oven gloves and clean aprons.

Students should be made aware of the hazards of unsuitable footwear. Soft shoes and open toe sandals offer little protection from falling objects or spillages.

Long hair, jewellery, loose clothing such as ties and unbuttoned cuffs are potential hazards.

Sleeves should be rolled up, watches and ties removed and long hair tied back.

Additional personal protective equipment such as gloves and eye protection is required when using hazardous cleaning agents.

Microwave & Combination Ovens

Manufacturer's instructions must be followed.

The ovens must be kept clean, including ensuring that air vents are not blocked or obstructed and that food debris does not build up around the door seal which could lead to leaks.

The ovens must not be used if the door does not close properly or if the door interlock switch does not work properly.

The ovens must not be switched on when empty.

Burns and scalds can be avoided by using oven gloves, removing lids or microwave film away from the face and checking the temperature of food and drink.

It is important to ensure food is thoroughly cooked throughout by stirring and turning the food during cooking.

Only food-grade microwave film may be used in direct contact with food during cooking and defrosting.

Food should not be cooked in sealed containers; pierce the film covering containers (unless there are specific manufacturer's instructions to the contrary). Only use containers, films and ingredients which are known to be suitable for heating in a microwave oven.

Users are made aware of the risk of certain foods superheating.

Deep Fat Frying

Where small electrically powered thermostatically controlled deep fat fryers are provided the following precautions must be remembered:

- fryers must not be over-filled
- electric leads must be kept as short as possible
- fryers must be positioned safely
- fryers must not be left unattended
- water must not be allowed to come into contact with hot oil or fat (dry food before deep frying)
- the handle must be positioned safely and fat must be cooled before straining or pouring into plastic containers
- All persons must be trained to deal correctly with a fat or oil fire.

Pressure Cookers

Pressure cookers are covered by the Pressure Safety System Regulations 2000 and require annual inspections against a suitable written scheme of examination.

Knives & Utensils

No student will be allowed to use a knife unless he or she has been properly trained in appropriate techniques.

The degree of supervision which is required when students are using knives depends on the age of the particular students, and the tasks for which knives are being used.

Students should be made aware that sharp utensils can cause cuts that falling utensils can present a hazard, and that slipping can occur when pressure is applied.

Knives must be kept sharp and, when they are not in use, they must be stored securely.

The knives inventory must be checked at the end of each lesson.

Where possible, the use of knives should be avoided, e.g. by the provision of vegetable peelers, scissors, etc. Mandolins are not recommended for use in schools.

Sharp utensils should not be left projecting from work surfaces and instruction must be given in their correct use, handling, storage and cleaning.

There is a model risk assessment on the CLEAPSS website on Food Preparation: Using Knives, which will be adapted for school use to reflect all reasonably foreseeable hazards.

First Aid

Teachers must be aware of students with particular medical problems, including allergies, so that they are able to take the necessary precautions during lessons.

At least one person holding a current first aid certificate, or who has been trained in emergency first aid, must always be available to attend and to provide first aid when cookery rooms are in use.

A first aid container equipped and maintained in accordance with Health and Safety (First Aid) Regulations must be readily available.

Food standard sterile waterproof dressings coloured blue for ease of detection in food will be provided.

Fire Safety

Fire escape routes and fire doors must be operational and clearly marked, easily opened and free from all obstructions.

Fire fighting equipment, including fire extinguishers, fire blankets and fire detectors, must be readily available and maintained.

It is difficult to reduce the risk of fat-pan fires to zero, so specific instruction must be given to everyone on how to deal safely with such a fire when it occurs.

Spark devices are safer than matches for lighting gas hobs/ovens.

All displays must be suitably positioned away from heat sources.

To reduce the dangers of accidents, the number of students working at any one time around heating equipment must be controlled and close supervision given.

Health & Safety Notices & Signage

Appropriate notices and signs are to be clearly displayed including warning signs next to hobs that have no visual indication that they are on/hot, next to freezers, for hazardous materials, for fire exits, escape routes, fire fighting equipment and emergency first aid.

Hand washing/personal hygiene posters are also recommended.

Signs are not a substitute for teaching students safe working practices. However, they do act as a reminder to those students who might forget what they have been taught.

7.15 Gas Installations and Appliances

The School will ensure that all work carried out on gas fittings and appliances are in accordance with the requirements of the regulations and the Safety in the Installation and Use of Gas Systems and Appliances Manual.

Maintenance of Gas Equipment

Gas boilers, heaters, ovens and other gas fired equipment will be serviced at regular intervals, usually annually, and in accordance with the manufacturer's recommendations.

All work on gas appliances must be carried out by a Gas Safe Registered engineer.

Records of all servicing, maintenance and repairs must be kept.

Summary of Key Actions

The key actions necessary to ensure the safety of gas fired appliances are to:

- identify all gas fired appliances and create a maintenance schedule for each
- arrange for servicing in line with the schedule and keep records
- prepare a gas leak emergency procedure
- highlight all gas shut-off points

Gas Emergencies

In the event of a suspected gas leak:

- Call 24 hour gas emergency service on 0800 111 999
- Evacuate the buildings and move the students and majority of the staff to a distance of at least 250 metres away. Nominate some staff to stay at a safe distance to prevent access to the site and await the emergency National Grid engineer.
- If it is safe to do so:
 - Put out naked flames
 - Open doors and windows
 - Turn off the gas supply

DO NOT TURN ELECTRICAL SWITCHES ON OR OFF

- If the general public in the neighbourhood are at risk contact the police on 999

No person shall interfere with any gas appliance or gas fitting or pipe work unless qualified and competent to do so.

7.16 Hazardous Substances (COSHH)

All reasonable steps will be taken to ensure all exposure of employees and students to substances hazardous to health is prevented or at least controlled to within statutory limits.

The school will implement the following:

- maintain an inventory of all substances hazardous to health used on site and retain copies of relevant hazard data sheets
- competent persons will be appointed to carry out risk assessments of the exposure to substances hazardous to health and advise on their control
- all activities which involve, or may involve, exposure to substances hazardous to health will be assessed and appropriate control measures will be taken if elimination or substitution of the substance is not possible
- fume cupboards and extract systems will be properly maintained by planned preventive maintenance and annual monitoring to ensure continued effectiveness
- systems of work will be reviewed at suitable intervals and revised if necessary
- personal protective equipment (PPE) will be provided and maintained as determined by risk assessment
- assessments will be reviewed periodically or if changes to the operation or any hazardous substances used
- qualified professionals, where necessary, will carry out health surveillance
- employee health records of all exposures to substances hazardous to health will be kept for a minimum of 40 years
- all employees and where necessary students will be provided with understandable information and appropriate training on the nature of the hazardous substances they work with. Employees will be informed about any monitoring and health surveillance results
- no new substances will be introduced into the school without prior assessment

Substances Hazardous to Health

Hazardous substances may be defined as being toxic, corrosive, a health hazard, a serious health hazard, flammable, oxidising, explosive, harmful to the environment or gases stored under pressure.



- a) Biological agents directly connected with work including micro-organisms
- b) Dust of any kind when present as a substantial concentration in the air
- c) Substances which have a Workplace Exposure Limit (WEL) assigned to them by the Health and Safety Commission document EH40
- d) Any other substance not specified above which may create a comparable hazard to a person's health

Principles of Control

Exposure to substances hazardous to health should either be prevented altogether, substituted with a less harmful substance, or (where it is not reasonably practicable) adequately controlled.

In all cases personal protective equipment (PPE) should only be used where it is not reasonably practicable to adequately control exposure by other means. For example, fume cupboards in science labs and local exhaust ventilation systems on woodworking machinery should always take precedence over masks.

If a substance is hazardous by inhalation, it is likely to have been assigned a "workplace exposure limit" (WEL). This should be used to assess the level of control.

Where PPE is identified as necessary for use by staff and students it should be ensured it is suitable for the purpose.

Employees have a duty to make full and proper use of all control measures identified as required in the risk assessment and must wear appropriate PPE (lab coat, eye protection, gloves etc.) where this is identified as required. Adequate information and training must be provided on its use and maintenance.

Maintenance, Examination and Testing

Where controls such as fume cupboards, dust extraction for wood working equipment etc are provided it is necessary to ensure that they are properly maintained. This will require visual and operational checks pre use in addition to a thorough examination and tests of engineering controls.

In the case of local exhaust ventilation, tests for fume cupboards, woodworking extraction etc. should be carried out at least every fourteen months. A record of the results of all examinations must be kept for at least 5 years.

All PPE must be kept clean, in good repair and stored correctly to prevent contamination.

Health Surveillance

Health surveillance is typically only required in certain circumstances and is dependent on individual circumstances. Where there is a reasonable likelihood that an identifiable disease or adverse health effect associated with exposure will occur and the risk assessment shows that health surveillance is appropriate for the protection of employees these should be carried out.

Monitoring and health surveillance records relating to named individuals must be kept for 40 years.

Information, Instruction and Training

Information, instruction and training must be given to employees and students who may be exposed, about the risks to health and precautions.

7.17 Infection Control

School staff and students are from time to time at risk of infection or of spreading infection.

The school aims to minimise the risk of the spread of infection and will:

- provide employees with information on potential infections and symptoms measures to assist with early identification and prompt implementation of control measures
- inform and take advice from the local Consultant in Local Disease Control (CCDC) and the Environmental Health Department of the Local Authority if an increase in illness is noted in school, or if they have any concerns about infectious disease issues
- maintain up-to-date emergency contact numbers for all students, not only so that parents can be contacted if children are ill and need to be taken home, but also to assist in the investigation of any outbreaks
- maintain high standards of hygiene throughout the school including the promotion of good hand washing
- provide warm water, liquid soap and disposable towels in all toilets and cloakrooms
- undertake risk assessments to include the infection control risk and identify control measures associated with farm or other similar visits
- ensure spillages of bodily fluids (blood, urine, vomit and faeces) are dealt with immediately and that adequate facilities are provided to provide protection to people involved
- organise for the safe cleaning of equipment and where appropriate disinfection and thorough, cleaning of the premises
- arrange for safe disposal of any infected materials

Further Information

The Health Protection Agency (HPA) provides details on recommended exclusion periods for the more common communicable diseases in Guidance on Infection Control in Schools.

Factsheets on infectious diseases are available from the Health Protection Agency <http://www.hpa.org.uk/Publications/InfectiousDiseases/Factsheets/>.

Staff Illness and Reporting

Staff should notify their manager if they develop any of the following infectious diseases or symptoms:

- skin infections or exposed areas of infestation
- severe respiratory infection (e.g. pneumonia, TB)
- severe diarrhoea
- jaundice
- hepatitis
- Chicken Pox, Measles, Mumps, Rubella
- HIV
- Weil's Disease

Individual suitable controls will need to be applied dependant on the circumstances of each case. In some instances employees may need to be referred to an Occupational Health Practitioner or their GP for advice.

Staff should report diseases including Leptospirosis, Hepatitis, TB, and Tetanus which have been contracted through work as these are reportable under RIDDOR (Reporting of Injuries, Diseases and Dangerous Occurrences Regulations).

Confidentiality

Confidentiality will be maintained at all times in relation to an employee who is known to have any infectious disease.

No health information will be disclosed without the written consent of the employee concerned and any breach of such confidentiality, either inside or outside the school, will be regarded as a disciplinary offence and may result in disciplinary action.

7.18 Interactive Whiteboards

All reasonable steps will be taken by the School to secure the health and safety of employees and students when interactive whiteboards are used.

To achieve this objective the School will:

- consider ultra-short throw projectors as a first option during the procurement process as these present the safest option for teachers and students
- prior to the installation of any new whiteboard a risk assessment will be completed to cover the positioning of the projector and the exposure to intense light
- try to ensure that projectors are located out of the sight line from the screen to the classroom; to ensure that, when teachers look at the class, they do not also have to stare at the projector lamp. (The best way to achieve this is by ceiling-mounting rather than floor or table-mounting the projector)
- ensure that students are adequately supervised when they are asked to point out something on the screen
- provide a stick or laser pointer to avoid the need for the user to enter the beam is recommended

- provide adequate information and training to persons working with interactive whiteboards especially in relation to beam viewing by teachers and students

Guidance for Users

- teachers and students should avoid staring into the projector beam at all times
- try to keep your back to the beam as much as possible
- use the stick or laser pointer provided whenever possible

7.19 Legionnaires Disease

All reasonable steps will be taken to identify potential legionellosis hazards and to prevent or minimise the risk of exposure.

The School will:

- carry out a Legionellosis Risk Assessment
- prepare a written scheme/plan for preventing or controlling the risk of Legionella
- implement and manage the scheme/plan
- keep records for a minimum of 5 years

Day to day responsibility for monitoring and ensuring that the systems are being correctly operated lies with the Maintenance Manager.

At risk systems include the hot and cold water storage and distribution system.

To achieve control of legionella bacteria the school will implement the following:

Avoidance of Conditions Favouring Growth of Organisms

As far as practicable, water systems will be operated at temperatures that do not favour the growth of legionella. The recommended temperature for hot water is 60°C and either above 50°C or below 20°C for distribution, as care must be taken to protect people from exposure to very hot water.

The use of materials that may provide nutrients for microbial growth will be avoided. Corrosion, scale deposition and build up of bio films and sediments will be controlled and tanks will be lidded.

Monitoring and recording

Temperatures of water outlets will be checked and recorded to ensure temperature controls to prevent bacterial growth are maintained

Disinfection

Periodic disinfection of shower heads will take place to remove any scale and bacteria.

Emergency procedures

Emergency procedures will be established for the discovery of Legionella bacteria. If during routine sampling/inspection of hot and cold water systems Legionella bacteria is discovered in any systems likely to provide a medium for the spread of infection (e.g. water aerosol spraying equipment) these will be shut down and the situation reported immediately to the Director of Operations.

Training

The school will provide training to the Maintenance Manager and Maintenance team members responsible for the day to day management of the water systems.

7.20 Lifts

All reasonable steps will be taken to maintain all lifts throughout the school.

Implementation

The School will ensure that:

- an examination scheme is drawn up by a competent person for each lift
- all lifts are fitted with appropriate barriers and interlocking gates to prevent passengers or cargo from falling from the lift, coming into contact with the lift machinery or entering/exiting the lift when it is not at a designated landing
- suitable equipment and mechanisms are installed to prevent the lift from:
 - leaving its landing when the doors are unlocked and/or open
 - falling (including its maximum working load) in the event of a failure in the lifting mechanism
 - overrunning its furthest intended point of travel
 - being operated from more than one position at any one time
 - being overloaded or exceeding its maximum number of passengers
- lifts are maintained in a safe condition and examined/inspected by competent persons (annually for goods lifts and 6 monthly if lifting people)
- the safe working load (SWL) is clearly displayed inside each lift
- notices are posted adjacent to each lift opening advising against the use of a lift in the event of a fire
- arrangements are made for the emergency evacuation of persons in the event of lift failure
- lift motor rooms are kept locked and entry only allowed to authorised persons

Records

All thorough examination reports will be kept for a minimum of 2 years

7.21 Lone Working

This Policy on lone working relates to any individual who spends some or all of their working hours working alone without direct supervision and who does not have someone close at hand to assist them in the case of an incident.

Lone working increases the health and safety risks to individuals because they may not be able to summon assistance in the event of an incident and any delay may in receiving attention may increase the consequences of any injury.

People falling into this category may include:

- anyone working outside normal hours on their own
- cleaners who normally work outside school hours
- teachers in classrooms away from the main building in the sports centre
- teachers working in workshops or laboratories
- caretakers or maintenance staff
- employees who open up or close the building on their own

It is acceptable for people to work alone so long as the School has completed a risk assessment and any measures deemed necessary have been put into place.

Teachers or others working alone in a classroom or office in the main school buildings when the school is open are not “lone workers”.

Some activities should not be carried out by people working alone and the School will identify those that are relevant to them, typically this may include:

- working at height on ladders or tower scaffolds
- use of high risk chemicals
- use of high risk machinery
- electrical work
- entry to areas of restricted or limited access or exit

Key Actions

- identify all workers who work alone
- identify all locations where lone working is carried out
- complete a risk assessment for all lone working
- control measures to be identified, prioritised and implemented
- identify higher risk activities/area and make formal decisions on the authorisation of lone working
- Develop formal systems/procedures for particular activities/areas as required

Requirements of lone workers

It is important that lone workers are considered for any known medical conditions which may make them unsuitable for working alone. Consideration to be given to routine work and foreseeable emergencies which may impose additional or specific risks.

Lone workers must be suitably experienced, have suitable instructions and if necessary, training on the risks they are exposed to and the precautions to be used.

The school shall ensure adequate supervision is provided. The adequacy of the supervision will depend on the level of the risk, types and duration of exposure. Adequacy of supervision may involve some of the following:

- a) periodic checks on lone workers i.e. visual
- b) periodic contact with lone worker i.e. telephone
- c) general or specific alarms for emergencies
- d) checks on lone workers to ensure they have returned to the school on completion of extracurricular activities

Rules for Lone Workers

- Anyone working alone must have access to a telephone and ensure that a relative or colleague is aware
- The caretaker (or other named person) must be informed of anyone intending to work late and a satisfactory arrangement made for locking up the building
- When the caretaker (or other named person) is not present all lone workers, for reasons of security, health and safety, should lock themselves in the building
- When the caretaker (or other named person) is not present lone workers should make sure that someone at home knows where they are what time they are expected to return and who to contact should you not have returned by an agreed time.
- Staff must not place themselves in danger by challenging intruders or vandals, but must call the police for assistance
- Staff working alone have a responsibility for making themselves familiar with and following the school's safety procedures and location of safety equipment
- If staff rely on mobile phones they must ensure that their network has good reception within school. Although phones can give extra reassurance, they do not provide complete protection and staff should still be alert for their own personal safety at all times
- In the situation where two or more people are working in isolated areas of an otherwise unoccupied building, personnel should keep each other informed about their movements

Opening/Closing School

When the last person has left the building and notified the caretaker (or other named person), they should then secure the building. This includes the closing of all fire doors and leaving on any emergency and exterior lights.

When the caretaker (or other named person) arrives in the morning he must make a quick examination of the exterior of the building to make sure that there are no signs of a break-in or of anyone having been in the building. If the caretaker is in any doubt he should contact the Police/security firm and should never enter the building if he is unsure of his safety.

Key holders are also advised to inform someone when they are attending an alarm call out.

Emergency Considerations

Lone workers should be capable of responding correctly to emergencies. Risk assessment should identify foreseeable events. Emergency procedures must be established and the people concerned trained in using the procedures.

Emergency Procedures may need to cover:

- fires resulting from the process or work being undertaken
- if a person has an accident what needs to be done to recover them, especially important in laboratories
- actions to be taken in case of a chemical spill
- actions to be taken in the event of power failure (for example where the person is reliant on power for their safety systems or for egress from a building e.g. power operated doors)

7.22 Manual Handling

Manual handling means: the transporting or supporting of a load by hand or by bodily force including lifting, putting down, carrying, pushing or pulling.

A load can include a person or animal as well as inanimate objects but not an implement, tool or equipment while in use for its intended person.

Typical manual handling tasks in school are:

- moving tables and chairs
- carrying piles of books or stationery
- putting out PE equipment
- maintenance activities
- receiving and putting away food deliveries

To prevent injuries and long term ill-health from manual handling the School will ensure that activities which involve manual handling are eliminated, so far as is reasonably practicable. Where it is not practical the School will carry out an assessment to determine what control measures are required to reduce the risk to an acceptable level.

To implement this policy the School will ensure that:

- there is no lifting wherever possible and in relation to the handling of students with special needs, this policy is intended to promote a safer handling approach, which means no manual lifting of the whole or a substantial part of a person's body weight
- manual handling assessments are carried out of activities that:
 - a) pose a foreseeable risk of injury
 - b) cannot be avoided
 - c) cannot be mechanised and consider the risks to students and employees

- adequate information and training is provided to persons carrying out manual handling activities including details of the approximate weights of loads to be handled and objects with an uneven weight distribution, where appropriate
- any injuries or incidents relating to manual handling are investigated, with remedial action taken
- employees are properly supervised
- where relevant, employees undertaking manual handling activities are suitably screened for reasons of health and safety, before doing the work
- special arrangements are made for individuals with health conditions which could be adversely affected by manual handling operations
- wherever possible, the School will conduct the risk assessments of students with special needs before they attend and the school should seek to receive information on students in advance

Reducing the risk of injury

In considering the most appropriate controls, an ergonomic approach to designing the manual handling operation will optimise the health, safety and productivity associated with the task.

Techniques of risk reduction will include:

- mechanical assistance
- redesigning the task
- reducing risk factors arising from the load
- improvements in the work environment
- employee selection

No employee will be required to lift any item that they do not feel confident of doing without risking personal injury.

Moving and Handling People

There are occasions when a student with medical needs requires assistance in moving. While the basics outlined above still apply, there are other considerations. When a move is essential and the person requires help, then their co-operation should be sought where possible. The move should be explained to them so that they can actively participate in it.

Whenever a student with physical disabilities needs regular support in standard moves such as from a wheel chair to toilet or a seat or vehicle, then a full risk assessment must be written up. Clear instructions covering each activity should be included, so that all staff members who are involved in the task may move the person safely and in the same manner. Ancillary equipment such as hoists, sliding boards, swivel plates, etc. must all be used in the correct manner and staff must have received appropriate training in the use of the equipment.

The risk assessment should consider both routine manual handling and emergency situations when manual-handling procedures may have to be adapted (e.g. evacuation in the event of a fire). The risk assessment will help inform the procedures for that student's needs. Procedures should be developed with the student or their representatives. An individual's needs might vary day-to-day and even during the course of a day.

Schools should endeavour to ensure employees adopt the same handling techniques when assisting students with moving and handling to ensure a consistent and safe approach. This will help to keep the student calm and reduce the risk of struggling, sudden movement or violence.

The expert advice of external medical professionals should be considered where complex moving and handling problems of students are presented.

Key Actions

- Heads of Departments to identify and list tasks with a potential to cause injury
Complete a manual handling risk assessment for each task
- Bring the assessment to the attention of relevant staff and students, where relevant
- Provide manual handling information and where required training for staff and students
- Supervise tasks to ensure safe lifting and handling
- Review assessments at least annually
- Complete risk assessments for students with special needs before they enter school

7.23 Minibus and Other School Vehicles

Legal Requirements

The law requires that a minibus must:

- be correctly licensed
- display a valid tax certificate
- be adequately insured
- be well maintained
- have a valid MOT certificate (if more than one year old)

The School will ensure that appropriate safety procedures are established for the minibus in line with the ROSPA Advice for Minibus Safety and their code of practice. A copy of the full code of practice is available at www.rospa.com.

Driver Training

It is essential that the School is satisfied that all persons authorised to drive are competent to drive a school vehicle containing students safely. The absolute minimum requirements to comply with our insurance are that the drivers:

- are over the age of 21
- have category D1 (if required for specific vehicle) on their licence
- have at least two years' experience as a qualified driver
- hold a current full driving licence with no more than 6 penalty points. If a driver has less than 6 points, the driver may still be precluded if the points were accrued for the offence of dangerous driving
- complete and submitted the Driver Declaration Form

To comply with the above, the school has gone further in its quest to ensure that students are driven in safety.

Prior to transporting students for the first time, all drivers will be given the opportunity of a vehicle familiarisation session to include:

- daily vehicle checks
- pre-journey checks
- general driving safety
- road testing
- emergency stop
- use of mirrors and indicators
- reversing using mirrors only
- passenger safety
- passenger comfort

All new drivers will be added to the list of authorised minibus drivers.

Staff that passed the test to drive a car after 1st January 1998 are required to successfully complete a PSV test to drive specific school minibuses.

Drivers' Hours

It is the School's policy that if there is a trip which involves a driver being in charge on an extended day, then a second adult should accompany the party and that person should be competent to share the driving to reduce the possibility of driver fatigue. An extended day is anything beyond 8.00 pm when the teacher started work at 7.00 am. This requirement is non-negotiable.

Driver's Responsibilities

Whilst the School will ensure a weekly check of the condition of the minibuses is undertaken, drivers are responsible for the following checks before embarking on their trips and during the trips:

- do a visual inspection of the minibuses which includes tyre pressure checks and that the windscreen and glass is clean and can be seen through
- check brakes to see that they are functioning correctly
- ensure that mirrors and seat are in the correct driving position
- check that all lights are functioning correctly
- ensure that all seat belts are being worn. This includes all passengers, who must wear a seat belt
- ensure that the windscreen washer system works and that wipers are functioning correctly
- ensure that the vehicle is correctly loaded and that no more than sixteen passengers are being carried
- emergency exits must not be blocked
- ensure that all doors are correctly closed
- check that you have enough fuel for the your journey
- as soon as possible after moving off, the driver should carry out a running brake test and at the same time, check the operation of the seat belts
- at intervals throughout the journey, all instruments and warning lights should be checked and necessary action taken if a fault is indicated

- ensure that food and drink are not consumed on the vehicle
- make sure that no rubbish is left on the vehicle and ensure that no malicious damage has occurred to the interior of the vehicle

At the end of the journey the driver must lock and make the vehicle secure. Keys should only be taken just prior to making use of the minibuses. The keys should be returned immediately after use.

Passenger Responsibilities

- must wear seat belts and always remain in their seats until instructed otherwise
- must never distract the driver by shouting, etc
- students must not eat or drink on the vehicle
- must make sure that escape routes are not blocked by bags, etc
- students must remember that they are ambassadors of the school and must never bring its name into disrepute by gesturing, etc
- passengers found to have vandalised the minibuses may face a ban from using it again and be required to pay for damages

Accident Procedures

If an accident occurs and any personal injury or damage to third party property is involved, then the driver must stop. He/she must be prepared to give his name and address and details of the owner of the vehicle to a Police Officer or any other person having reasonable grounds to ask. If for any reason the driver is not able to give these details then he/she must report in person to a Police Station as soon as practically possible, otherwise an offence is committed, and in any event not later than twenty-four hours afterwards.

Report the accident immediately to the school and complete the appropriate forms for onward transmission to insurers.

Breakdown and Recovery

The minibuses are covered for breakdown and recovery. Details of how to contact the providers and our membership numbers are in the minibus.

First Aid

All minibuses contain first aid boxes which are checked at the end of each term. The contents of these boxes include:

- antiseptic wipes
- bandages
- assorted adhesive dressings
- plasters
- eye pads
- Scissors

Any use of the first aid kit must be reported as soon as possible thereby maintaining a full kit at all times.

Minibuses must not be used for private use.

Weekly Checks

Weekly checks of the minibuses will be carried out and recorded.

Staff who notice any defects in the minibuses should immediately notify the nominated person who will then determine whether or not the vehicle should be taken off the road and repairs carried out.

The minibuses are inspected every ten weeks by an external contractor, and serviced in line with the manufacturers' recommendations.

Incorrect Use of the Minibuses

A driver who breaks the speed limit will be responsible for paying his/her own fines. Similarly fines imposed for incorrect car parking or negligent driving will be the responsibility of the driver. Any damage caused to the minibuses through incorrect use, may result in the driver being asked to contribute fully or partially to any excess payable by the school.

Speed Limits

The speed limit for minibuses is as follows:

- 30 mph not 40 mph on urban carriageways
- 50 mph not 60 mph on single carriageways
- 60 mph not 70 mph on dual carriageways
- 70 mph on motorways

List of Authorised Drivers

The School will keep a list of drivers who have been authorised to drive the minibuses.

Authorisation may be withdrawn at any time by the Headmaster. Any member of staff who has been advised not to drive their own vehicle for medical reasons must advise the school immediately.

7.24 New and Expectant Mothers

The School recognises that the general precautions taken to protect the health and safety of the workforce as a whole may not in all cases protect new and expectant mothers and there may be occasions when, due to their condition, different and/or additional measures will be necessary.

To implement effective measures for new and expectant mothers the School will ensure that:

- employees are instructed at induction to inform their manager of their condition at the earliest possible opportunity and that the highest level of confidentiality is maintained at all times
- risk assessments are carried out for all work activities undertaken by new and expectant mothers and associated records and documentation maintained
- new and expectant mothers are not allowed to work with chemicals of a mutagenic/teratogenic classification
- necessary control measures identified by the risk assessment are implemented, followed, monitored, reviewed and, if necessary, revised

- new and expectant mothers are informed of any risks to them and/or their child and the controls measures taken to protect them
- any adverse incidents are immediately reported and investigated
- appropriate training etc is provided where suitable alternative work is offered and accepted
- provision is made to support new and expectant mothers who need to take time off work for medical reasons associated with their condition
- where relevant a suitable rest area is provided to enable the new or expectant mother to rest in a degree of privacy and calm
- where risks cannot be eliminated or reduced to an acceptable level then consideration will be given to adjusting working conditions and/or hours or if necessary providing suitable alternative work or suspension with pay

7.25 Noise

The school will take all reasonable steps necessary to ensure that the risk of hearing damage to employees who work with noisy equipment is reduced to a minimum. The school will designate and mark out areas of noise risk as hearing protection zones. These areas will be secured against unauthorised access and pupils will not be allowed to enter these zones.

Noise Risk Assessments

The school will carry out regular noise exposure risk assessments of noisy areas, processes and/or equipment as appropriate. Assessments will be used as the basis for formulating action plans for remedial measures when necessary. Assessments will be recorded and updated regularly, particularly when changes in work practice cause changes in noise exposure levels for staff.

Reduction of Noise Exposure Levels

The school will, as far as is reasonably practicable, take all steps to reduce noise exposure levels by means other than the use of personal protection. The school accepts that the use of ear protectors is a last resort and is committed to continuing to seek and introduce alternative methods for reducing noise exposure levels whenever possible in the future.

The school will provide suitable and effective ear protection to staff working in high noise levels, as indicated as necessary by the results of noise exposure assessments. It will also provide for the maintenance and repair or renewal of the protective equipment, provide training in the selection and fitting of protectors and provide details of the circumstances and areas in which they should be used. The school will designate and mark out areas which always require the use of ear protection as hearing protection zones.

Use and Maintenance of Noise Control Equipment and Procedures

The school will maintain all equipment and monitor all procedures introduced for the purpose of reducing noise exposure of staff, including enclosures, silencers and machine covers.

All personnel will be required to

- use these procedures and equipment correctly
- promptly report any defects or deficiencies through the appropriate channels.

Provision of Training

The school will provide adequate training to staff as part of its hearing conservation and noise control policy. All staff who are exposed to high levels of noise or expected to enter hearing protection zones will be provided with:

- information, instruction and training about the harmful effects of noise
- information and training on what they must do in order to protect themselves and meet the requirements of the law and of the school's policy.

Staff responsible for formulating and carrying out the school's noise policy will also be given appropriate training. Where a problem arises as a result of noise, staff must inform the relevant person immediately.

Audiometric Testing

Where staff are regularly exposed to risk from high noise levels, the school will adopt a programme to monitor the hearing of staff subject to high levels of noise. This programme will be used to ensure the school's noise control policy is effective and that staff members' hearing is not being adversely affected. This will involve regular audiometric tests carried out by properly trained personnel and pre-employment audiometric tests where appropriate for new staff.

7.26 Outdoor Play Equipment

Safe use of equipment

Supervision

Children must be supervised at all times whilst using outdoor play equipment and the appropriate number of people required to supervise play areas must be determined for each location.

Supervising staff should be familiar with the equipment, the rules for use and of the ability of the children.

General guidelines

- Staff/supervisors on duty must ensure that outdoor play equipment is visible and can be appropriately supervised when in use.
- Staff/supervisors on duty have a responsibility to make regular checks for defects and report them as appropriate.
- Staff/supervisors have a responsibility to ensure appropriate behaviour policy.
- Consideration needs to be given to weather conditions, outdoor play equipment should not be used during wet or icy conditions.
- Apparatus must only be used at appropriate times when supervised. Parents need to be informed that the apparatus is for school aged children only and not to be used before and after school.

Clothing/Footwear

Suitable clothing should be worn. Hazards can arise from - unfastened coats, woollen gloves, scarves, ties, etc.

Appropriate footwear must be worn. Hazards arise from - slippery soles, open toed and sling back sandals, heels and untied laces, etc.

Zoning of Activities

Consideration will be given to the range of activities occurring within the playground area:

- Ball games/chasing games to be sited away from the climbing area.
- In a nursery garden, wheeled toys in particular, are to be used away from the climbing area.

Play equipment standards

All new outdoor play equipment to be designed, constructed, installed and maintained in accordance with European standards BS EN 1176 and BS EN 1177.

These European standards are not retrospective or a legal requirement but represent good practice in the event of an accident claim. Play equipment which was considered safe under BS 5696 will still be safe under the new standards.

The independent competent person carrying out annual inspection and maintenance will advise whether any alterations need to be made.

Only manufacturers/contractors with appropriate play industries registration will be used to install new outdoor play equipment. Schools will check that companies have API (Association of Play Industries) or BSI registration for equipment manufacture and installation.

Scrambling and climbing elements must not exceed 3 metres, for children below 5 years the height should be a maximum of 1.6 metres.

Height should not be the dominant feature on any item of equipment. Interest challenge and enjoyment should be achieved without the need for height itself.

Structures must be spaced clear of each other to prevent one activity interfering with another, they must also be clear of walls, fences etc.

Suppliers of new equipment will be required to supply information relating to surfacing requirements, intended age range, risk assessment, installation instructions, servicing and maintenance instructions.

Safety surfaces

All products must meet the appropriate BS EN Standards. Both portable and fixed climbing equipment that has a fall height of 600mm must be on an impact-absorbing surface if used outside. (Fall height is the distance from the clearly intended body support to the impact area).

Although impact absorbing surfaces cannot prevent accidents they may reduce the level of injury. There are a range of surfaces available which provide impact attenuation including rubber mats and tiles, bark etc.

The extent of surfacing around static equipment is dependent on the fall height; this should extend at least 1.75m beyond the outermost points of the base of the frame.

When considering so called safety surfaces their likely effectiveness, durability, practicality and management will be taken into account.

Materials such as top soil and turf do have limited impact absorbing properties.

Where bark is used this area should be a minimum of 300mm deep with a recommended particle size of 38mm max and 12mm min.

Loose materials will spread if not suitably contained and will need to be topped up from time to time, thus it is important to have additional bark available to top up to the original level.

Inspection and maintenance

For new equipment a post installation inspection will be arranged.

BS EN 1176 recommends that all outdoor play equipment be inspected and maintained on a regular basis. Such inspection and maintenance is at 3 levels.

Level 1 checks – Daily / pre use checks by staff (these do not require formal recording)

Concentrating on the following points:

- no evidence of obvious wear / damage
- area safe from health hazards e.g. needles, glass, faeces etc
- impact absorbing surfaces no cuts, tears, wear or unstuck areas
- all fastening tightly secured
- no broken chains, stretched links or loose or twisted shackles
- uprights unbroken and firm in the ground

Where any defects / hazards are identified appropriate steps must be taken to prevent use until problems have been satisfactorily resolved.

Level 2 checks – termly inspection in house

A more thorough check of the equipment to be conducted termly and these records kept on site.

Level 3 checks – annual inspection

A detailed certified inspection by an independent competent person capable of inspecting to BS EN 1176 and 1177 these checks must be formally recorded and records kept on site.

Such checks ensure safety and identify any improvements required in terms of the European standards.

The competent person conducting the annual inspection will advise on the extent of surfacing required for both static and moving equipment.

7.27 Personal Protective Equipment

The School provides personal protective equipment (PPE) when the risk presented by a work activity cannot be eliminated or adequately controlled by other means. When it is provided, it is because health and safety hazards have been identified that require the use of PPE and it is therefore necessary to use it in order to reduce risks to a minimum.

To effectively implement its arrangements for the use of PPE the school will:

- ensure that PPE requirements are identified when carrying out risk assessments
- use the most effective means of controlling risks without the need for PPE whenever possible and only provide PPE where it is necessary
- carry out an assessment to identify suitable PPE
- ensure that if two (or more) items of PPE are used simultaneously, they are compatible and are as effective used together as they are separately
- ensure PPE is available to all staff who need to use it
- provide adequate accommodation for correct storage of PPE
- provide adequate maintenance, cleaning and repair of PPE
- inform staff of the risks their work involves and why PPE is required
- instruct and train staff in the safe use and maintenance of PPE
- make arrangements for replacing worn or defective PPE
- review assessments and reassess the need for PPE and its suitability whenever there are significant changes or at least annually

Employees provided with PPE for their own personal use at work will be required to sign to confirm its receipt.

7.28 Physical Education

The School is committed to safe practice in physical education and recognises that the School and the teaching staff and others in positions of responsibility have a duty of care for those in their charge to ensure that planning and implementation include recognition of safety as an important element.

Young people should learn about the principles of safety as applied to themselves and to the care and well being of others. This should be a planned and intentional aspect of the curriculum.

The School follows the standards set out in 'Safe Practice in Physical Education and School Sport' produced by the Association for Physical Education.

Implementation

The Director of Sport (DoS) is responsible for ensuring this policy is brought to the attention of all staff in the Department, for ensuring that it is complied with.

The DoS is also responsible for completing an Association for Physical Education (afPE) PE risk assessment form for each PE event where significant health and safety hazards are reasonably foreseeable and for bringing risk assessments to the attention of relevant staff.

Staff competence and qualifications

Teachers with responsibility for the planning and delivery of PE programmes should have satisfactorily completed appropriate initial and/or in-service training which cover all those aspects of activity required to be taught, as recognised by the DfE.

Where there are specific National Governing Body Certificates available for certain sport or activities, teachers planning or supervising these activities should be certificated as appropriate.

Only in exceptional circumstances and with great care should teachers of other subjects who have no specialist training in physical education be time-tabled to teach in the PE department. Those teaching staff should not take full responsibility for any aspect of physical activity where there are elements of hazard and attendant risk. This will include swimming, gymnastics, athletics and throwing events.

Supervision of students

Unqualified teachers will not be required to teach in areas where they lack the appropriate experience and expertise, particularly where there are safety implications. A qualified specialist teacher should closely supervise PE classes. It is not acceptable for non-teaching staff to supervise a practical class on their own.

Adults other than Teachers (AOTT's) (including volunteers).

The school governors continue to have a duty of care that operates for any activity in which students are engaged. This includes situations when adults other than teachers are used to support the delivery of physical education and in the extended curriculum to:

- support and work alongside teachers in the delivery of the curriculum and extra curriculum;
- work alongside and support teachers in the development of school clubs and teams on the school site
- deliver off-site activities.

. Teachers cannot transfer this duty and therefore AOTT's must work alongside teachers with supervision.

The School will ensure that stringent checks, including Disclosure and Barring Service (DBS) checks, are made before allowing any unsupervised access to children according to the volunteers, and child protection and safeguarding policies

Refer: 'Guidelines for Local Education Authorities, Schools and Colleges' in the use of 'Adults other than Teachers in Physical Education and Sport Programmes', BAALPE.

Class sizes in Physical Education

In determining the size of teaching groups in physical education, account will be taken of:

- nature of the activity
- age, experience and developmental stage of students
- requirements of School Curriculum

Risk Assessment

The School will create and maintain a risk assessment for each PE work area. Significant hazards and their control measures will be included in "schemes of work" as appropriate. All staff working in PE and school sport will be made aware of these findings and be involved in their review.

Manual handling and storage of equipment

Where possible manual handling tasks should be avoided or the risk of handling injury minimised by appropriate task design or the use of handling aids (e.g. trolleys). The layout of storage areas should minimise the need to stretch, reach, bend or twist the body excessively to reach frequently used or heavy items. This can be enhanced by ensuring that storage areas are kept tidy and well organised.

Apparatus Handling by Students

It is an integral part of the subject to involve students in apparatus handling, particularly in gymnastics. However this must be carried out in such a way as to reduce risk to students as far as is reasonably practicable. The School will make arrangements to enable students to learn how to handle equipment safely according to their age and strength.

Inspection of equipment

All indoor PE facilities (gymnasiums, halls, sports halls, multi-gyms etc.) and equipment will be inspected termly and records kept.

PE department staff should carry out pre-use visual checks of equipment to identify obvious defects this includes a visual sweep of playing areas prior to use to ensure any hazardous objects are removed.

All games posts will be kept in good condition, with freestanding posts and lighter portable posts secured to prevent them falling over and all posts subject to regular checks.

Hazards and equipment defects

It is the responsibility of everyone in the PE department to inform the teacher in charge of any hazards, e.g. defects to equipment, so that appropriate action can be taken.

If the teacher in charge considers a defect to be a significant threat to health and safety, the equipment must be taken out of action until the defect to the equipment has been remedied and/or the Head of Department agrees it is safe to be used. A notice must be attached to the equipment indicating that it is faulty and must not be used.

Emergency procedures

The Head of Department is responsible for preparing written emergency procedures for activities where there is a risk of serious and imminent danger to employees and/or students. Where employees are allocated specific tasks to perform in an emergency their role will be detailed and they will be suitably trained.

Away Fixtures

Such risks could be significant in the case of an injury to student(s) during a lesson both on-site and off-site. Effective procedures are complicated by when and where the emergency happens. The School will consider what they will do during away fixtures and matches and agree procedures that will ensure effective handling of the situation.

First Aid

The School will ensure that a suitable numbers of trained first aiders are available.

A travelling first aid kit and clear, effective procedures for contacting the emergency services is considered to be the minimum requirement.

Procedures to address the needs of injured students and the remainder of the group away from school premises and the managing accidents will be included in PE risk assessments.

Clothing and Footwear

This must be appropriate to the activity.

Suitable footwear must be worn on all occasions. Specific requirements are:

- Games, athletics, cross-country running

Training shoes are acceptable in most circumstances. However, the soles must provide satisfactory grip, particularly in wet conditions. Studded footwear must be worn where appropriate. Participation in 'everyday shoes', such as those with heels or open toes, must not be permitted under any circumstances. Footwear must always be secured by suitable fastenings. Long, loose laces and flapping tongues present a significant hazard.

In football related activities, students in boots / blades and those in trainers will involve an assessment of the students' footwear to ensure it is suitable part of the on-going risk assessment undertaken by the teacher.

- Indoor activities, (dance, gymnastics, etc.)

Participation with bare feet will enhance the quality of work considerably, thereby making it much safer. If the condition of the floor does not allow bare feet, then soft soled plimsolls provide the best alternative. During activities, such as 'step aerobics', where excessive and repeated impact might be anticipated, suitable training shoes must be worn.

Radiation

Teaching about ionising radiation in school helps students to develop a balanced attitude towards the subject, for many the study of ionising radiation at school may be their only opportunity to achieve this.

School work involving ionising radiation is very safe because great care has been taken in the choice of sources, control measures and procedures. However, all radioactive substances can cause harm if misused.

To comply with legislation and to ensure the school follows best practice the school has appointed:

University of Bristol, Safety and Health Services, University of Bristol, 1-9 Old Park Hill, Bristol, BS8 2BB as our Radiation Protection Advisor (RPA)

and: the Head of Physics as Radiation Protection Supervisor (RPS)

The Local Rules for the use of ionising radiations have been adapted from the CLEAPSS model in consultation with the RPA and it is a function of the Teacher in charge of Science to see that they are adhered to. Staff using ionising radiations have been issued with their own copies, as a part of their training.

The Radioactive Sources History (i.e., authority to purchase, record of delivery, details of events in the life of the source and eventual certificate showing method of disposal is kept in the Science Prep. Room.

The Use Log (showing the times that any sources are removed from and returned to their store) is kept in the Science Prep. Room.

The Monitoring Record of tests for leakage of radioactive sources and contamination by radium sources is kept in the Science Prep. Room. Testing normally takes place each year on 31st July.

It is the function of the Head of the Science Department to ensure these records are all kept up to date.

The school recognises that as a result of its activities the health of employees may be at risk from:

Ionising Radiation (IR): Radiation that produces ionisation in matter, examples include Radon (naturally occurring), alpha particles, gamma rays and x-rays. When these radiations pass through the tissues of the body they have sufficient energy to damage to DNA.

Non-Ionising Radiation (NIR): NIR is the term used to describe part of the electromagnetic spectrum covering optical radiation (ultraviolet light, visible and infrared) and electromagnetic fields (EMF's) (power frequencies, microwaves and radio frequencies). The health hazards of NIR are very wave length dependant.

To protect people from exposure to radiation the company will:

- have a competent person carry out a risk assessment to identify all radiation-based hazards and the risks arising from exposure to radiation
- remove radiation sources or switch to less hazardous radiation sources wherever possible
- provide training and information to staff who work with or may be subject to radiation (including naturally occurring radiation sources)
- maintain and regularly inspect equipment which uses radiation
- establish safe dose limits and ensure that they are never exceeded by any person
- reduce the extent and duration of radiation exposure to as low as possible through engineering or administrative controls
- provide and implement safe systems of work, including controlled areas to restrict exposure to radiation
- monitor premises in areas where Radon occurs naturally
- appoint a Radiation Protection Advisor or Supervisor where required to do so
- provide dosimetry and health surveillance for employees exposed to ionising radiation
- report all accidents and incidents involving ionising radiation to the enforcing authority
- notify the HSE at least 28 days before commencing any low-risk work with ionising radiation and keep a record of the notification.

7.29 Risk Assessment

Risk assessment is a systematic examination of what within our school can cause harm to people and it helps us determine whether we are doing enough or further actions are required to reduce the likelihood of injury or ill health.

Our policy is to complete a risk assessment of all our known and reasonably foreseeable health and safety hazards covering all our premises, people, equipment and activities in order to control risks and to plan and prioritise the implementation of the identified control measures.

We will ensure that:

- assessments are carried out and records are kept
- control measures introduced as a result of assessments are implemented and followed
- employees are informed of the relevant results and provided with necessary training
- any injuries or incidents lead to a review of relevant assessments
- assessments are regularly monitored and reviewed
- suitable information, instruction and training will be provided to all persons involved in the risk assessment process

We may be controlling risks in various ways, determining the effectiveness of those controls is part of our risk assessment process.

It is the responsibility of the Headmaster to ensure risk assessments are conducted, although in practice the actual assessment process will be delegated to Heads of Departments and Managers.

Generic/Model risk assessments are acceptable so long as the assessor:

- satisfy themselves that the 'model' risk assessment is appropriate to their work; and
- adapt the model to their own actual work situations

When completing risk assessments it is necessary to refer to the relevant subject guides:

Design & Technology

CLEAPSS Risk assessments in technology <http://www.cleapss.org.uk/>
BS 4163:2007 Health and Safety for Design and Technology in Schools and Similar Establishments

Science

CLEAPSS <http://www.cleapss.org.uk/>
CLEAPSS School Science Service Laboratory Handbook
CLEAPSS Hazcards

Food Science

CLEAPSS Food Technology <http://www.cleapss.org.uk/>

Art

National Society for Education in Art & Design (NSEAD)

<http://www.nsead.org/hsg/index.aspx>

Physical Education

Safe Practice in Physical Education and School Sport' BAALPE/afPE <http://www.afpe.org.uk/>

7.30 Safeguarding

For full details, please refer to policy 2.1 Safeguarding and Child Protection and related policies including 2.2 Staff / student code, 9.9 Whistleblowing, 9.13: Recruitment, Selection and Disclosure Policy and Procedure, Missing child procedures 1.2/ 1.2a and policies relating to supervision of children.

7.31 Science

This policy sets out the School's arrangements for ensuring that practical work within the science department is carried out safely and that safety control measures applied are pragmatic and proportionate so as not to inhibit good teaching.

The task of overseeing health and safety within the science department is that of the Head of Department.

Information

All staff are issued with a copy of this policy within the electronic Staff Handbook.

Any new instructions, restrictions or rescinded (lifted) restrictions made by the school are communicated to all staff.

Monitoring and checking

The school requires the science department to monitor the implementation of this policy. Records of monitoring are kept by the Head of Department.

Training

Any non-science staff who have to supervise any class in a laboratory will receive brief training in laboratory rules.

Records of the training received by members of the science staff are kept on SIMs.

Risk Assessments

The school follows the recommendation of the Health and Safety Executive to adopt 'model' or 'general' risk assessments adapted to the school curriculum and facilities.

Whenever a new course is adopted or developed, all activities (including preparation and clearing-up work) are to be checked against the model risk assessments and significant findings incorporated into texts in daily use, i.e., the scheme of work, set of lesson plans, syllabus, technician notes.

If a model risk assessment for a particular operation involving hazards cannot be found in these texts, a special risk assessment is to be completed. In order to assess the risks adequately, the following information is collected:

- details of the proposed activity
- the age and ability of the persons likely to do it
- details of the room to be used, i.e. size, availability of services and whether or not the ventilation rate is good or poor
- any substance(s) possibly hazardous to health
- the quantities of substances hazardous to health likely to be used, including the concentrations of any solutions
- class size
- any other relevant details, e.g. high voltages, heavy masses, etc

Lesson plans have been checked against the model risk assessments & technicians. Staff should deviate from it only if their proposed activities have been also checked with the models and where uncertainties arise, agreed with the Head of Department.

Where an activity must be restricted to those with special training, that restriction is included in a note in the text.

Fume Cupboards

The school will arrange regular testing of fume cupboards at a maximum interval of 14 months but require teachers to perform a quick check before use. Records of the tests are kept on file.

All users have been trained to carry out a quick check that a fume cupboard is working before use.

Pressure Vessels

Autoclaves and pressure cookers need periodic inspection, normally annually, under the Pressure Systems Safety Regulations. Records of examinations are kept on file.

Equipment Safety

All staff selecting equipment for purchase will check that it is safe and suitable for the intended purpose (to comply with the Provision and Use of Work Equipment Regulations). Equipment listed by specialist educational equipment suppliers is taken to meet these Regulations but all other equipment, especially gifts, is treated with caution and carefully assessed.

Any user who discovers a hazardous defect in an item of equipment must report it to the Senior Technician

Personal Protective Equipment

The school accepts the duty to provide eye protection, gloves and laboratory coats for employees where the risk assessment requires them and safety spectacles for students. The condition of the eye protection is checked at the start of each term.

Chemicals

The safe storage and, where necessary, disposal of chemicals including highly-flammable liquids, will be arranged in accordance with the requirements of the Dangerous Substances and Explosive Atmospheres Regulations (DSEAR) in order to ensure that chemicals are stored securely, the risks of fire, explosion and spillage are minimised, labels are readable and that a spill kit is available and properly replenished.

Hazardous activities involving chemicals is restricted to those who have received special training and as identified in the texts in daily use as part of the risk assessment.

Waste disposal

Waste chemicals and equipment are disposed of in an environmentally-responsible manner in accordance with relevant legislation.

Safe disposal of sharps

All sharps must be correctly and safely disposed in a leak-proof, puncture resistant, lockable container. The container should not be filled more than two thirds then sealed and disposed as per the school procedure.

Security

Access to laboratories and preparation rooms will be controlled to prevent unauthorised access. All science rooms including store rooms are to be kept locked at all times except when in use. It is the task of the staff member leaving such a room to see that the room is empty and that the door is locked. All laboratories which are left open are cleared of all hazards, including shutting-off all services when supervision by a suitably-trained teacher or teaching assistant comes to an end. No class is allowed to be in a laboratory without adequate supervision.

All science areas are made safe for cleaners or contractors to work in before these persons are allowed to proceed.

Fire fighting equipment

One 2 kg carbon-dioxide extinguishers and one fire blanket provided for fire fighting are the standard for Science classrooms.

When using flammable metals, it is better to have a bag of sand immediately available in case of fire. Dry powder extinguishers may cause permanent damage to computers and lead to such a mess that industrial cleaning will be required. A fire blanket can be used to smother fires, often causing less damage than a carbon dioxide extinguisher, which may blast apparatus across the bench.

Spills

Trivial spills are dealt with using damp cloths or paper towels. Spills of any amount which do not give rise to significant quantities of toxic or highly-flammable fumes ('minor spills') are dealt with by teachers using a 'spill kit' provided for this purpose.

Major spills are those involving the escape of toxic gases and vapours or of flammable gases and vapours in significant concentrations. (Small amounts can be 'major spills' if spilt in small rooms.) Staff are trained in the appropriate procedures to manage these spills.

7.32 Smoking

Exposure to second-hand smoke, also known as passive smoking, increases the risk of lung cancer, heart disease and other illnesses. Ventilation or separating smokers and non-smokers within the same airspace does not stop potentially dangerous exposure.

It is the policy of the School that all of its premises are smoke-free and that all employees and students have a right to work in a smoke-free environment.

Smoking is prohibited throughout the entire school with no exceptions, including school vehicles. This policy applies to all employees, students and visitors.

Implementation

All staff are obliged to adhere to and facilitate the implementation of the policy.

The School will ensure that all employees and contractors are aware of the policy on smoking. They will also ensure that all new personnel are given a copy of the policy on recruitment or induction.

Appropriate 'no smoking' signs will be clearly displayed at or near the entrances to the premises. Signs will also be displayed in company vehicles that are covered by the law.

7.33 Stress

The Health and Safety Executive define stress as “the adverse reaction people have to excessive pressure or other types of demand placed on them”. This makes an important distinction between pressure, which can be a positive state if managed correctly, and stress which can be detrimental to health.

Stress at work can come about for a variety of reasons. It may be excessive workload, unreasonable expectations, or overly-demanding work colleagues. The school will endeavour to ensure a pleasant working environment and that employees are as free from stress as possible.

We will:

- work to identify all workplace stressors and conduct risk assessments to eliminate stress or control the risks from stress
- regularly review risk assessments
- consult with employees on issues relating to the prevention of work-related stress
- provide access to confidential counselling for employees affected by stress caused either by work or external factors
- provide training for all managers and supervisory staff in good management practices

Employees who experience unreasonable stress which they think may be caused by work should raise their concerns with their Manager or through the school's grievance procedure.

Following action to reduce the risks, they shall be reassessed. If the risks remain unsustainable by the employee concerned, efforts shall be made to reassign that person to other work for which the risks are assessed as tolerable.

7.34 Supporting Students with Medical Need

Please refer to the Medical Policy 4.1 and associated policy 6.4 “Supporting Students with medical conditions, disabilities and Special Education Needs (SEND).”

The School’s policy is to support students to attend school who have a medical condition. The School will therefore support the administration of short and long- term medication and medical techniques where this is necessary for the student to continue to be educated at school. The School will also put in place procedures to deal with emergency medical needs.

The School will establish procedures to ensure that all concerned, staff, parents, students and, where relevant, health professionals are aware of the student’s condition and what steps have been agreed either to manage the condition on a daily basis or to be implemented in case of an emergency.

It is stressed however that the administration of medication is undertaken on a voluntary basis by staff, and it will only be done where the procedures are followed.

Health Care Plans

Parents are responsible for providing the school with up to date information regarding their child’s health care needs and providing appropriate medication.

Individual health care plans are in place for those students with significant medical needs e.g. chronic or ongoing medical conditions such as diabetes, epilepsy, anaphylaxis etc. These plans will be completed at the beginning of the school year / when child enrolls / on diagnosis being communicated to the school and will be reviewed/updated annually.

All staff are made aware of any relevant health care needs and copies of health care plans are available on the schools computer network.

Staff will receive appropriate training related to health conditions of students and the administration of medicines by a health professional as appropriate.

Administering Medicines

Please refer to policy 4.1.

Non Prescription Medication

Please refer to policy 4.1.

7.35 Swimming Pool

See Pool Safety Operating Procedure on the School intranet [here](#)

7.35 Temporary Staff and Volunteers

The School takes the necessary measures to ensure the health and safety of any staff members employed on a temporary or voluntary basis.

Please refer to the supervision of staff policy (9.27) and the volunteers policy (9.14) which also details the checks that may be required

To achieve this, the School will provide temporary or voluntary staff with the following information prior to starting work:

- details of the qualifications and skills are required to do the work safely
- the requirements of the safeguarding policy
- any risks to health and safety identified by workplace risk assessments
- the preventive measures to be taken
- safe working procedures
- the action to be taken in the event of an emergency

The competence of temporary or voluntary staff will be assessed to ensure they are capable of working safely.

7.36 Training

Training in health and safety is a legal requirement and also helps create competent staff at all levels within the school to enable them make a far more effective contribution to health and safety, whether as individuals, teams or groups.

Competence of individuals through training helps individuals acquire the necessary skills, knowledge and attitude which will be promoted by managers and supervisors throughout the school.

Our training objectives will cover three areas, that of the organisation, the job and individuals.

All staff will need to know about:

- the health and safety policy
- the structure and system for delivering this policy

Staff will need to know which parts of the system are relevant to them, to understand the major risks in our activities and how they are controlled. All employees have access to the Health and Safety Policy.

Managers and supervisors training needs will include:

- leadership and communication skills
- safety management techniques
- skills on training and instruction
- risk assessment
- health and safety legislation

- knowledge of our planning, measuring, review and audit arrangements

All our staff training needs will include:

- relevant health and safety hazards and risk
- the health and safety arrangements relevant to them
- communication lines to enable problem solving

All staff will also receive **induction training**. Such training will cover:

- fire procedures including warning systems, actions to be taken on receiving warning, locations of exits/escape routes, evacuation and assembly procedures,
- first aid/injury procedures including reporting and the names of first aiders/appointed persons,
- instruction on any prohibition areas (i.e. no smoking),
- issue of protective clothing/equipment and its use,
- instruction under COSHH,
- mandatory protection areas,
- thorough instruction applicable to their particular duties at work

Training needs will be reviewed as a result of job changes, promotion, new activities or new technology, following an accident/incident and performance appraisal.

Records of training will be kept for all employees.

Employees must:

- participate in the induction training activities they have been required to attend or carry out
- work according to the contents of any training they receive
- ask for clarification of any points they do not fully understand
- not operate hazardous plant or equipment, use hazardous chemicals or carry out any hazardous activity unless they have been appropriately trained and instructed.

7.37 Violence to Staff

The School recognises that in certain situations violent behaviour towards staff may occur, and therefore will take all reasonable measures to protect staff from violence and aggression.

We define violence and aggression as:

- actual or threatened physical assaults on staff
- psychological abuse of staff
- verbal abuse which includes shouting, swearing and gestures
- threats against employees

To achieve this objective we will:

- carry out risk assessments of potential conflict situations to determine the control measures necessary to protect staff
- ensure that premises are kept secure
- inform all employees of the procedure following a violent or challenging behaviour incident
- not tolerate violence or challenging behaviour towards our employees
- train our employees who may be exposed to violence or challenging behaviour situations
- support the employees involved in any incident
- support their decisions regarding the pressing of criminal charges
- provide any counselling or post-incident assistance required by the employees
- keep records of all incidents of violence and aggression and review the control measures with a view to continual improvement in employee safety.

7.38 Voice Care

Introduction

Teachers are particularly at risk of developing voice problems. Female voices are more vulnerable and some subjects, e.g. physical education, music and technology create more risk to the voice than others.

Environmental factors can contribute to voice strain. In schools these can include:

- class size
- class layout and design
- noise
- acoustics
- chalk dust, fumes, irritants
- uncomfortable temperature, poor ventilation

Research also indicates that as the voice influences the listener's reaction, the teacher's voice quality can affect student learning.

The most common voice misuse is shouting and screaming, strained loud voice and also excessive throat clearing. The usual symptoms of voice problems are:

- throat pain when speaking or swallowing
- sore throat in the morning which disappears when the voice “warms up”
- hoarse, tired voice in the evening
- increase in mucus
- rapidly-changing pitch or loss of control of voice

Aim

We aim to ensure that appropriate steps are taken in to minimise the risks to our employees’ voices. To achieve this we will;

- identify those teaching areas where a risk of voice loss may occur
- assess the risk of voice loss in each area
- implement measures to reduce the risk of voice loss as far as reasonably practicable in areas identified as at risk
- provide information to employees on the risk of voice loss and how to reduce the risk
- keep records of reports of voice problems
- refer affected employees to occupational health

Employees will be encouraged to seek medical help if there is:

- persistent hoarseness for more than 2-3 weeks
- regular hoarseness or voice loss
- significant voice quality changes
- constant vocal fatigue
- difficulty or pain when swallowing

Monitoring and Review

We will:

- keep a log of any incidents or requests for help
- work with Heads of Department to make appropriate risk assessments
- ensure that appropriate action is taken
- log progress and outcomes as part of our health and safety management system
- make a termly report to the Headmaster

The **Headmaster** will report on any cases to the Governing Body.

7.39 Window Restrictors

The fitting and use of window restrictors within school premises is used to ensure the safety and security of members of staff and visitors. The company is particularly concerned with preventing persons from falling from height, and has fitted window restrictors to remove the possibility of persons opening a gap large enough for a person to fall through. It is therefore essential that all window restrictors are maintained in a good working order and that all staff report defects to their line manager as a matter of urgency.

The school will:

- risk assess the danger of falling from any window and the effects of installing a window restrictor, including the possible loss of ventilation
- identify all vulnerable parties who may be particularly at risk from falling out of windows
- ensure that all window restrictors are secured with tamper-proof fittings
- ensure that the window frames are sufficiently robust where the window requires a window restrictor
- ensure that all window restrictors are properly maintained and kept in working order
- provide adequate training and supervision to all staff who use or maintain window restrictors

Ensure the window restrictors are checked on a monthly basis. Any window restrictor that is found to be broken will be replaced or repaired as a matter of urgency, but the window must be kept locked shut until repairs are carried out. If the repair will not take place for more than a day, temporary signage will also be put in place to indicate that the window should not be used

7.40 Work at Height

The school will take all reasonable steps to provide a safe working environment for all employees who may be affected by work at height activities.

The school will ensure that:

- all work activities that involve work at height are identified and assessed
- the need to undertake work at height will be eliminated whenever it is reasonably practicable to do so
- all work at height is properly planned and organised
- all employees required to use stepladders or ladders are competent
- regular inspections of all stepladders and ladders are undertaken
- any contractors on school property comply with this policy
- ladders and stepladders are secured to prevent unauthorised use

Risk Assessment for Work at Height

For all activities involving work at height a risk assessment must be conducted and the findings recorded. This assessment should consider both the work to be done and the most appropriate access equipment to be used (not just what is available) to achieve a safe system of work.

When determining control measures the following hierarchy of controls for work at height as follows must be considered:

- avoid the risk by not working at height, for example by working from existing platforms, using long reach equipment etc. If it is not practicable to do the work safely in some other way then:
- use work equipment or other measures to prevent falls; and
- where the risk of a fall cannot be eliminated further controls to minimise the distance and consequences of a fall should one occur.

The detail of the assessment will depend on the level of risk involved, as a general guide the risk assessment should consider:

- the task and activity involved
- the people (medical conditions etc.)
- equipment to be used including erection and dismantling
- the location (proximity to roads, overhead electrical cables etc)
- the environment, poor conditions and slippery surfaces (weather, temperature etc.)
- the effect on pedestrians, falling objects

Using Ladders (including stepladders)

Ladders should not be used simply because they are readily available, the risk assessment should determine if a ladder or stepladder is appropriate for the task.

Ladders and stepladders should only be used for short duration tasks (less than 30 minutes), light duty tasks or where more suitable access equipment cannot be used due to existing features of the site which cannot be altered.

For example whilst a ladder may reach the area of work, if the task requires strenuous work, carrying bulky / heavy equipment or is likely to take more than 30 minutes then an alternative means of access such as a tower scaffold or podium steps would be more appropriate.

Only those persons who have been trained to use ladders safely may use them.

All ladders should be secured against unauthorised use.

Prior to use it should always be ensured that the ladder is in good condition and fit for purpose.

Where ladders are to be used to work from it should be ensured that:

- a secure handhold and support are available at all times
- the work can be completed without stretching
- the ladder can be secured to prevent slipping

Equipment identification / inspection

The school will compile a register of equipment (excluding kick stools). Where there is more than one piece of equipment each should be indelibly marked with an identifying number.

Equipment for work at height, should be inspected prior to use and by a competent person termly/6 monthly. The inspection will depend upon the complexity of the equipment.

In the case of tower scaffolds a competent person must inspect these prior to its first use and thereafter every 7 days that it remains in place.

7.50 Work Equipment

The company will provide a safe working environment in relation to work equipment safety and ensure all employees receive appropriate safety information and training in their work equipment.

To achieve this objective the company will:

- provide work equipment that is suitable for the purpose and compliant with the requirements of the Provision and Use of Work Equipment Regulations
- retain and make available the manufacturer's instruction manual for each item of equipment, where relevant
- before using any item of work equipment, ensure that a risk assessment is carried out and brought to the attention of relevant employees
- inspect all equipment at installation and prior to first use
- regularly inspect work equipment in accordance with the manufacturer's recommendations
- maintain work equipment in accordance with the manufacturer's recommendations
- keep records of all inspections and maintenance
- provide adequate instruction, information and training to employees to enable the work equipment to be used and maintained safely
- provide refresher training as appropriate and as determined necessary by workplace inspections

Refer:

- Work Equipment Risk Assessment Form
- Work Equipment Risk Assessment Checklist
- Work Equipment Maintenance Record

7.51 Work Experience Placement – Please refer to policy 8.9

7.52 On site Movement of vehicles

The school will take all reasonable steps to control the risks associated vehicles operating on its premises to ensure a safe site, safe vehicles and safe drivers. In consideration of the above the School will:

- assess, implement and maintain appropriate risk control measures to reduce the risks associated with workplace transport on site
- segregate pedestrians from moving vehicles by providing designated safe walkways where it is reasonably practical
- where pedestrians have to cross the traffic routes provide designated crossing points and ensure that priority is given to pedestrians
- reduce reversing manoeuvres wherever possible and ensure adequate arrangements are in place to control the risks associated with any that are necessary i.e. the provision of mirrors, CCTV and trained persons to assist the driver
- manage and enforce a safe speed limit on site and employ speed calming measures where necessary
- plan the workplace including designated parking areas to ensure the layout of routes is appropriate for the vehicle and pedestrian activities
- prohibit vehicles parking in no parking areas and where they will obstruct any entrance, exit door and emergency escape route
- ensure the traffic infrastructure is maintained in a safe and suitable condition including roadways, pavements, car parks, signage and lighting
- use 'highway code' signs and road markings to indicate vehicle and pedestrian routes, speed limits and pedestrian crossings
- avoid traffic routes passing closely to vulnerable items such as fuel or chemical tanks, pipe lines or other surfaces
- ensure vehicles are suitable for the purpose in which they are used and are properly maintained and are provided of mirrors or other such devices to facilitate safe travel
- ensuring the management of safety, maintenance and the safe operation of the companies vehicles
- carry out company vehicle checks and ensure the timely reporting of vehicle defect and damage
- ensure drivers are authorised to drive that class of vehicle and have received the necessary training and where appropriate ensure drivers have passed medical fitness tests
- any vehicle being driven must be covered by current insurance certificate, MOT and is appropriately taxed where applicable.
- ensure loading and unloading of vehicles take place in a safe area and carried in a safe manner with regards to all foreseeable risks including work at height and that the driver ensures loads are secure and stable.

RISK ASSESSMENT

8. RISK ASSESSMENT

8.1 Risk Assessment

See Risk Assessment Policy 8.8

8.2 Fire Risk Assessment

[Risk assessment template](#)

A fire risk assessment is an organised and methodical look at the premises, the activities carried on there and the likelihood that a fire could start and cause harm to those in and around the premises.

The aims of the fire risk assessment are:

- to identify the fire hazards
- to reduce the risk of those hazards causing harm to as low as reasonably practicable
- to decide what physical fire precautions and management arrangements are
- necessary to ensure the safety of people in your premises if a fire does start

The significant findings of the fire risk assessment, the actions to be taken as a result of the assessment and details of anyone especially at risk must be recorded.

It is important that the fire risk assessment is carried out in a practical and systematic way and that enough time is allocated to do a proper job. It must take the whole of your premises into account, including outdoor locations and any rooms and areas that are rarely used. Small premises are assessed as whole, larger premises are divided into rooms or a series of assessment areas using natural boundaries, e.g. process areas, offices, stores, as well as corridors, stairways and external routes.

Risk assessments must take account of other users of the buildings and co-operation and communication of hazard and risk must be shared between businesses to ensure a co-ordinated response is prepared and implemented.

One or more competent persons are appointed to carry out any of the preventive and protective measures needed to comply with the legislation. The competent persons are an appropriately trained, employee or, where appropriate, a third party consultant.

The fire risk assessment should demonstrate that, as far as is reasonable, the needs of all relevant persons, including disabled people, have been considered.

Six Steps to Fire Risk Assessment

1. Identify the hazards

- Sources of ignition
- Sources of fuel
- Sources of oxygen

2. Identify people at risk

- Employees
- People in and around the premises
- Vulnerable persons, disabled etc.

3. Evaluate, remove, reduce and protect from risk

- Evaluate the risk of fire occurring
- Evaluate the risk to people from fire
- Remove or reduce the fire hazards
- Remove or reduce the risks to people

4. Consider:

- Detection and warning
- Fire fighting
- Escape routes and travel distances
- Lighting
- Signs and notices
- Maintenance

5. Record, plan, inform, instruct and train

- Record the significant findings and action taken
- Prepare an emergency plan
- Inform and instruct relevant people; co-operate and co-ordinate with other businesses
- Provide training

6. Review

- Keep assessment under review
- Revise where necessary

Refer:

- Fire Risk Assessment Form

MONITORING HEALTH AND SAFETY

9. MONITORING OF HEALTH AND SAFETY

Measurement is essential to maintain and improve our health and safety performance to identify how effectively we are controlling risks and how well we are developing a positive health and safety culture.

There are two types of performance monitoring, active and reactive.

Active monitoring

Monitoring is a line manager's responsibility and in this section there are monitoring checklists for each of the key management positions to be used to determine achievement against relevant health and safety standards. In completing the checklist managers are providing evidence that they have carried out monitoring within their areas of responsibility and they are reinforcing their commitment to health and safety objectives in general and helping to develop a health and safety culture.

This approach to proactive monitoring gives the company feedback on its performance before an accident, incident or case of ill health.

Managers and supervisors with defined health and safety responsibilities must monitor in detail the areas for which they have day to day control. Much of this checking will be informal and not recorded but formalised, structured checks are also essential to ensure all areas are covered and to demonstrate compliance to senior managers who must in turn seek assurance that first line monitoring is taking place.

Employees who take a proactive interest or represent groups for health and safety can also be involved with monitoring and may take the format of a health and safety tour or if more formally via a devised checklist.

Refer:

- Health and Safety Inspection Form

Reactive monitoring

Reactive monitoring of events including accidents, incidents, cases of ill health or property damage provide an opportunity to check performance and learn from mistakes and improve control measures.

Trends and common features arising from accident and incident investigation can identify jobs or activities where future health and safety initiatives would be most beneficial. Investigations may also provide valuable information in the event of legal action or an employee claim.

9.1 Governing Body

To be completed: Annually

Date:

The Governor responsible to the Board for overview of H &S could usefully accompany the team undertaking monitoring inspections

| Subject | Yes | No | Comment |
|--|-----|----|---------|
| Health and Safety Management | | | |
| Has a report on the last 12 months health and safety performance been prepared? | | | |
| Has a Health and Safety Plan for the next 12 months been prepared? | | | |
| Are there adequate resources to implement the Health and Safety Plan? | | | |
| Are we on target with our Action Plan? | | | |
| Health and Safety Performance | | | |
| How many accidents/incidents have occurred across the school within the last 12 months? | | | |
| How many RIDDOR reportable events have occurred in the last 12 months? | | | |
| Is there any outstanding enforcement action? | | | |
| Have policies and procedures been revised and implemented to prevent a recurrence of any serious incidents/enforcement action? | | | |
| How many employee claims have been made in the last 12 months? | | | |
| How many outstanding employee claims are there? | | | |

9.2 Headmaster

To be completed: **Annually**

Date:

| | | | |
|---|--|--|--|
| Health and Safety Management | | | |
| Has a report on the last 12 months health and safety performance been prepared? | | | |
| Has a Health and Safety Plan for the next 12 months been prepared? | | | |
| Are there adequate resources to implement the Health and Safety Plan? | | | |
| Are we on target with our Action Plan? | | | |
| Has the Health and Safety Policy been reviewed in the last 12 months? | | | |
| Are any new Policies and Procedures required? | | | |
| Are arrangements in place to ensure health and safety training is provided throughout the school? | | | |
| Is the health and safety training plan up to date? | | | |
| Has the Health & Safety Committee met at agreed intervals over the last 12 months? | | | |
| Are there any outstanding actions from the H&S Committee meetings? | | | |
| Have Heads of Departments completed their monitoring checks? | | | |
| Have risk assessments across all areas been reviewed within the last 12 months? | | | |
| Health and Safety Performance | | | |
| How many accidents/incidents have occurred across the school within the last 12 months? | | | |
| Does the accident/incident data indicate areas of concern or in need of greater focus? | | | |
| Are there any outstanding employee claims from the last 12 months? | | | |

9.3 Director of Operations

To be completed: **Biannually**

Date:

| Subject | Yes | No | Comment |
|---|-----|----|---------|
| Health and Safety Management | | | |
| Is the Health and Safety Policy current and up to date? | | | |
| Does the management structure within the Policy reflect the current organisation? | | | |
| Are arrangements in place to ensure health and safety training is provided throughout the school? | | | |
| Is health and safety training up to date? | | | |
| Is all health and safety training being recorded? | | | |
| Is there a Health and Safety Plan in place? | | | |
| Are there any overdue actions from the Health and Safety Plan? | | | |
| Are delegated persons completing their Health and Safety Monitoring activities at the agreed timescales? | | | |
| Health and Safety Performance | | | |
| Have annual accident /incident statistics been compiled? Is the trend positive or negative? | | | |
| Do the accident/incident statistics indicate where future health and safety initiatives should be directed? | | | |
| Are all accident investigations complete? | | | |
| Are any outstanding actions required following accident investigations to prevent a reoccurrence? | | | |
| Communication and Consultation | | | |
| Has Health and Safety been discussed at meetings at least twice within the last 12 months? | | | |
| Are H&S Committee Meeting minutes circulated? | | | |
| Are there any outstanding actions? | | | |
| Risk assessments | | | |
| Are risk assessments completed across all departments, where necessary? | | | |
| Are risk assessments brought to the attention of the relevant staff? | | | |

| | | | |
|---|--|--|--|
| Contractors and Maintenance | | | |
| Are procedures in place to check the health and safety credentials of all contractors and to ensure they have adequate insurance? | | | |
| Are internal health and safety checks completed of the work carried out by contractors? | | | |
| Fire and Emergencies (Fire, Gas, Water, Catastrophe) | | | |
| Are emergency plans in place? | | | |
| Have all staff been made aware of the emergency plans? | | | |
| Have emergency drills been practised to test their effectiveness? | | | |
| Accident / First Aid | | | |
| Is there adequate first aid provision throughout all areas? | | | |
| Are the arrangements for recording accidents and incidents capturing all the necessary information? | | | |
| Are arrangements in place for ensuring that all RIDDOR events are notified to the HSE? | | | |
| Is the accident/incident investigation procedure effective in improving standards of safety? | | | |
| Fire | | | |
| Has the fire risk assessment been reviewed within the last 12 months? | | | |
| Have all the actions from the fire risk assessment been completed? | | | |
| Has the fire alarm and emergency lighting system been serviced in the last 12 months? | | | |
| Has the sprinkler system been serviced in the last 12 months? | | | |
| Are all fire checks being completed and recorded? | | | |
| Electricity | | | |
| Is the fixed electrical testing up to date for each site? | | | |
| Is the portable appliance testing schedule being maintained? | | | |
| Are all electrical test records kept up to date? | | | |
| Gas Safety | | | |
| Are gas appliances inspected and tested at prescribed intervals? | | | |
| Are records kept? | | | |

| | | | |
|--|--|--|--|
| School Environment | | | |
| Are conditions comfortable for staff and students: adequate heating, lighting and ventilation? | | | |
| Work Equipment | | | |
| Has all plant and equipment been serviced in accordance with service agreements? | | | |
| Are plant and equipment service records up to date? | | | |
| Asbestos | | | |
| Has an asbestos survey been conducted at all sites? | | | |
| Is there a management plan in place for the control of asbestos at all sites? | | | |
| Is the asbestos management plan at all sites up to date? | | | |
| Is asbestos awareness training in place for relevant staff? | | | |
| Legionella Control | | | |
| Are there arrangements in place for the control and management of legionella bacteria in water systems at all sites? | | | |
| Are control checks being carried out and recorded? | | | |
| Lifts | | | |
| Are all lift maintenance contracts in place? | | | |
| Are all lifts examined in line with the legal requirement under LOLER? | | | |
| Are all servicing and lift examination reports kept readily available for examination? | | | |

9.4 Facilities Manager

To be completed: **Annually**

Date:

| Subject | Yes | No | Comment |
|--|-----|----|---------|
| Health and Safety Management | | | |
| Is the Health and Safety Policy statement displayed? | | | |
| Is the 'Health and Safety Law"- poster and Employer's Liability insurance certificate displayed? | | | |
| Risk Assessments | | | |
| Are all risk assessments up to date and outstanding control measures listed in an Action Plan? | | | |
| Are there any outstanding control measures from previous risk assessments? | | | |
| Have risk assessments been brought to the attention of the relevant staff? | | | |
| Training | | | |
| Have the Health and Safety training needs across the site team been determined, are they up to date? | | | |
| Are training needs being met? | | | |
| Are training records up to date? | | | |
| Is all induction training up to date? | | | |
| Fire | | | |
| Has the fire risk assessment been reviewed within the last 12 months? | | | |
| Have all the actions from the fire risk assessment been completed? | | | |
| Has the fire alarm and emergency lighting system been serviced in the last 12 months? | | | |
| Has the sprinkler system been serviced in the last 12 months? | | | |
| Is the fire alarm tested for audibility on a weekly basis? Are records up to date? | | | |
| Is the emergency lighting checked monthly and records kept? | | | |
| Has a fire drill been completed each school term? | | | |
| Have fire doors been checked to ensure they open fully and close on to the rebate? | | | |
| Are the visitor/contractor log books at reception being completed correctly? | | | |

| | | | |
|---|--|--|--|
| Is the fire logbook up to date? | | | |
| Hazardous Substances | | | |
| Are risk assessments available on the use of all hazardous substances? | | | |
| Are hazard data sheets readily available? | | | |
| Have staff received COSHH training? | | | |
| Are hazardous chemicals stored securely? | | | |
| Lifts/Hoists | | | |
| Are all lift maintenance contracts in place? | | | |
| Are all lifts examined in line with the legal requirement under LOLER? | | | |
| Are all servicing and lift examination reports kept readily available for examination? | | | |
| Roof Areas | | | |
| Are roof access doors kept locked and keys retained under the control of a responsible person? | | | |
| Is lighting adequate including provision of emergency lighting where the roof has to be accessed in emergencies outside daylight hours? | | | |
| Is roof edge protection adequate to prevent falls? | | | |
| Are fragile areas e.g. roof lights, protected? | | | |
| Are surfaces free from debris, algae and in good condition? | | | |
| Plant Rooms | | | |
| Are plant rooms kept locked and keys retained under the control of a responsible person? | | | |
| Is lighting adequate including provision of emergency lighting where plant room has to be accessed in emergencies? | | | |
| Are plant rooms clean, tidy and not used as storage areas? | | | |
| Are main isolation switches clearly labelled? | | | |
| Are all moving parts of plant and equipment guarded to prevent any person entering the plant room from coming into contact with them? | | | |
| Are protrusions, pipework, ducting, low ceiling heights, etc that may cause tripping hazards or head bumps highlighted and padded? | | | |

| Equipment | | | |
|---|--|--|--|
| Are all items of furniture in a safe condition? | | | |
| Is all the Site Team (Caretakers) equipment serviced as required? Are service records up to date? | | | |
| Is all equipment provided maintained in a safe condition? | | | |
| Are window restrictors fitted above ground level checked at least termly? | | | |
| Noise | | | |
| Are systems in place to prevent staff being exposed to excessive noise? | | | |
| Have staff received training on the control measures for reducing noise to an acceptable level? | | | |
| Are noise levels monitored to ensure noise reduction methods are working? | | | |
| Do all personnel wear ear defenders in hearing protection zones? | | | |
| Work at Height | | | |
| Has a specific risk assessment been performed on all tasks involving work at height? | | | |
| Following the assessment, are appropriate control measures being implemented? | | | |
| Are assessments regularly reviewed? | | | |
| Are assessments reviewed following an accident/incident or whenever the nature of the work changes? | | | |
| Are all persons involved with work at height suitably trained? | | | |
| Is the work at height supervised? | | | |
| Are all ladders/stepladders suitable? | | | |
| Are all ladders/stepladders included on an inventory and checked periodically? | | | |
| Are ladders/stepladders kept secure to prevent unauthorised use? | | | |
| Construction Projects | | | |
| Is the competence of contractors being checked prior to commencing work? | | | |
| Are principal contractors and designers appointed and provided with pre construction information? | | | |

| | | | |
|---|--|--|--|
| Are welfare arrangements made for all projects? | | | |
| Is a copy of the health and safety file retained for each project? | | | |
| Asbestos | | | |
| Is the asbestos survey up to date? | | | |
| Are sites of asbestos regularly checked and recorded? | | | |
| Are contractors made aware of sites of asbestos prior to starting work? | | | |
| Is all asbestos awareness training up to date? | | | |
| Legionella bacteria | | | |
| Are water temperatures monitored and records kept up to date? | | | |
| Are all shower heads descaled termly? | | | |
| Are water system flushed through after holiday periods? | | | |
| Are hot water temperatures controlled? (max 43 deg °C in areas where vulnerable pupils may come into contact) | | | |
| Gas Cylinders | | | |
| Are there proper storage areas for flammable liquids and gases, e.g. liquefied petroleum gas and acetylene? | | | |
| Are areas where cylinders are used and stored suitably signed to indicate their presence? | | | |
| Playground and Gymnasium Equipment | | | |
| Is the playground and the gymnasium equipment being inspected at least annually by a competent person and records kept? | | | |
| Are weekly checks completed of all playground equipment? | | | |

9.5 Heads of Faculties

To be completed: **Annually**

Date:

| Subject | Yes | No | Comment |
|---|-----|----|---------|
| Health and Safety Management | | | |
| Are all Policies and Procedures being adhered to? | | | |
| Risk Assessments | | | |
| Have risk assessments been completed for all equipment and activities likely to result in injury? | | | |
| Are risk assessment actions implemented? | | | |
| Have all risk assessments been reviewed with the last 12 months? | | | |
| Have all staff signed off the risk assessments? | | | |
| Training | | | |
| Have all staff received induction training? | | | |
| Have all staff received relevant health and safety training? | | | |
| Classroom safety | | | |
| Are fixtures and fittings in a good state of repair? | | | |
| Are floors and traffic routes kept free of tripping and slipping hazards? | | | |
| Is the flooring in a good condition? | | | |
| Are there any changes in floor level or type of flooring that need to be highlighted? | | | |
| Are gangways between desks kept clear? Is there adequate space for pupils and teachers? | | | |
| Are trailing electrical leads/cables prevented wherever possible? | | | |
| Is lighting bright enough to allow safe access and exit? | | | |
| Are procedures in place to deal with spillages, e.g. water, chemicals, blood from cuts? | | | |
| Is there safe means of access to high areas such as an 'elephant-foot', step stool or stepladder? | | | |
| Are permanent fixtures in good condition and securely fastened, e.g. cupboards, display boards, shelving? | | | |
| Is furniture in good repair and suitable for the size of the user, whether adult or child? | | | |

| | | | |
|--|--|--|--|
| Where window restrictors are fitted to upper-floor windows, are they in good working order? | | | |
| Storage Areas | | | |
| Are storage areas kept tidy and floors free from obstruction? | | | |
| Are all stored items easily retrievable? | | | |
| Is all shelving/racking secured to prevent toppling? | | | |
| Is care taken not to overload shelving and racking? | | | |
| Is the safe storage of items on top of cabinets prohibited? | | | |
| Are goods and items stacked neatly? | | | |
| Are all stacks kept within a reasonable height to prevent them from becoming unstable? | | | |
| Is there a safe means of access to high areas? | | | |
| Gas Safety- where appropriate | | | |
| Are the gas supply isolators readily identifiable and accessible? | | | |
| Is a copy of the emergency procedure displayed at or near the gas meter? | | | |
| Are gas appliances inspected and tested at prescribed intervals? | | | |
| Electricity | | | |
| Have all portable electrical appliances been checked within the last 12 months? | | | |
| Are all visible items of the fixed installation e.g. sockets, switches etc. free from any obvious signs of damage? Are all visible items of the fixed installation free from any obvious signs of tampering? | | | |
| Are all sockets free from any obvious signs of overloading? | | | |
| Do all portable electrical appliances appear to be free from any obvious signs of damage? | | | |
| Manual Handling where appropriate | | | |
| Are steps taken to minimise the risk of injury from manual handling? | | | |
| Are manual handling assessments completed? | | | |
| Are manual handling aids/trolleys provided wherever possible? | | | |

| | | | |
|---|--|--|--|
| Equipment where appropriate | | | |
| Is all equipment properly guarded? | | | |
| Are daily pre start safety checks completed and recorded? | | | |
| Can all items of equipment be isolated to allow safe maintenance? | | | |
| Is all equipment subject to periodic maintenance? | | | |
| Are maintenance records kept? | | | |
| Hazardous Substances where appropriate | | | |
| Are risk assessments available on the use of all hazardous substances? | | | |
| Do staff who use hazardous substances know where to find information on them? | | | |
| Are all substances properly and securely stored? | | | |
| Are all substances in their original, properly labelled containers? | | | |
| Are all items of personal protective equipment required available and used? | | | |
| Personal Protective Equipment and Clothing where appropriate | | | |
| Are adequate numbers of goggles/safety glasses provided? | | | |
| Are the goggles/safety glasses checked termly? | | | |
| Are suitable aprons provided? | | | |
| Are aprons regularly laundered? | | | |

9.6 Catering Manager

To be completed: **Annually**

Date:

| Subject | Yes | No | Comment |
|--|-----|----|---------|
| Risk Assessment/Safe Working | | | |
| Have all kitchen risk assessments been reviewed within the last 12 months? | | | |
| Have the risk assessments been brought to the attention of the relevant staff? | | | |
| Have safe systems of work been prepared for high risk activities? | | | |
| Is the spillage procedure up to date? | | | |
| Communication and Consultation | | | |
| Are the minutes of the Health and Safety Committee available to all kitchen employees? | | | |
| Training | | | |
| Have all staff received induction training? | | | |
| Have staff received training in the following? | | | |
| ○ fire | | | |
| ○ manual handling | | | |
| ○ first aid | | | |
| ○ accident procedures | | | |
| ○ equipment | | | |
| ○ safe work procedures | | | |
| ○ food hygiene | | | |
| Fire | | | |
| Are all emergency exits clearly marked? | | | |
| Are all fire exit doors fully operational? | | | |
| Are the locations of all fire extinguishers clearly visible? | | | |

| | | | |
|--|--|--|--|
| Are all escape routes and exits free from obstruction and marked? | | | |
| General kitchen safety | | | |
| Is all kitchen equipment serviced and records kept? | | | |
| Is the kitchen equipment in a good state of repair? | | | |
| Are floors and traffic routes kept free of tripping and slipping hazards? | | | |
| Is there enough space to allow people to work and move about safely? | | | |
| Are there adequate oven gloves provided? | | | |
| Are knives stored safely? | | | |
| Are appropriate guards fitted to equipment, are all the guards working? | | | |
| Personal Protective Equipment | | | |
| Has adequate and suitable items of personal protective equipment (PPE) been issued, e.g. oven gloves, aprons, gloves, and are they maintained in a hygienic condition? | | | |
| Accident and First Aid | | | |
| Is the first aid box in the kitchen fully stocked? Are adequate supplies of blue plasters kept available? | | | |
| Gas Safety | | | |
| Are the gas supply isolators readily identifiable and accessible? | | | |
| Electricity | | | |
| Are all electrical test records kept up to date? | | | |
| Are all visible items of the fixed installation e.g. sockets, switches etc. free from any obvious signs of damage? Are all visible items of the fixed installation free from any obvious signs of tampering? | | | |
| Are all sockets free from any obvious signs of overloading? | | | |
| Manual Handling | | | |
| Are steps taken to minimise the risk of injury from manual handling? | | | |
| Are manual handling assessments completed? | | | |
| Are manual handling aids provided wherever possible? | | | |

| | | | |
|---|--|--|--|
| External Areas | | | |
| Are paths kept clean and free from slipping hazards? | | | |
| Are there any areas in need of repair? | | | |
| Is the lighting adequate? | | | |
| Storage Areas | | | |
| Are storage areas kept tidy and floors free from obstruction? | | | |
| Are all stored items easily retrievable? | | | |
| Is all shelving/racking secured to prevent toppling? | | | |
| Is care taken not to overload shelving and racking? | | | |
| Is there a safe means of access to high areas? | | | |
| Hazardous Substances | | | |
| Are risk assessments available on the use of all hazardous substances? | | | |
| Do staff who use hazardous substances know where to find information on them? | | | |
| Are all substances properly and securely stored? | | | |
| Are all substances in their original, properly labelled containers? | | | |
| Are all items of personal protective equipment required available and used? | | | |
| Ladders and Stepladders | | | |
| Are all stepladders in good condition? | | | |
| Are stepladders secured against unauthorised use? | | | |
| Has instruction been provided in the correct use of ladders and stepladders? | | | |
| Food Safety | | | |
| Is the food safety management system up to date? | | | |
| Are food safety checks being completed and records kept? | | | |

9.7 Cleaning Supervisor

To be completed: **Annually**

Date:

| Subject | Yes | No | Comment |
|--|-----|----|---------|
| Classroom safety | | | |
| Are fixtures and fittings in a good state of repair? | | | |
| Are floors and traffic routes kept free of tripping and slipping hazards? | | | |
| Are gangways between desks kept clear? Is there adequate space for pupils and teachers? | | | |
| Are permanent fixtures in good condition and securely fastened, e.g. cupboards, display boards, shelving? | | | |
| Are there any changes in floor level or type of flooring that need to be highlighted? | | | |
| Is furniture in good repair and suitable for the size of the user, whether adult or child? | | | |
| Is lighting bright enough to allow safe access and exit? | | | |
| Is the flooring in a good condition? | | | |
| Is there safe means of access to high areas such as an 'elephant-foot', step stool or stepladder? | | | |
| Where window restrictors are fitted to upper-floor windows, are they in good working order? | | | |
| Are procedures in place to deal with spillages, e.g. water, chemicals, blood from cuts? | | | |
| Are trailing electrical leads/cables prevented wherever possible? | | | |
| Electricity | | | |
| Are all sockets free from any obvious signs of overloading? | | | |
| Are all visible items of the fixed installation e.g. sockets, switches etc. free from any obvious signs of damage? Are all visible items of the fixed installation free from any obvious signs of tampering? | | | |
| Do all portable electrical appliances appear to be free from any obvious signs of damage? | | | |
| Have all portable electrical appliances been checked within the last 12 months? | | | |
| Equipment | | | |
| Are daily pre start safety checks completed and recorded? | | | |

| | | | |
|---|--|--|--|
| Are maintenance records kept? | | | |
| Can all items of equipment be isolated to allow safe maintenance? | | | |
| Is all equipment properly guarded? | | | |
| Is all equipment subject to periodic maintenance? | | | |
| Gas Safety | | | |
| Are gas appliances inspected and tested at prescribed intervals? | | | |
| Are the gas supply isolators readily identifiable and accessible? | | | |
| Is a copy of the emergency procedure displayed at or near the gas meter? | | | |
| Hazardous Substances | | | |
| Are all items of personal protective equipment required available and used? | | | |
| Are all substances in their original, properly labelled containers? | | | |
| Are all substances properly and securely stored? | | | |
| Are risk assessments available on the use of all hazardous substances? | | | |
| Do staff who use hazardous substances know where to find information on them? | | | |
| Health and Safety Management | | | |
| Are all Policies and Procedures being adhered to? | | | |
| Manual Handling | | | |
| Are manual handling aids/trolleys provided wherever possible? | | | |
| Are manual handling assessments completed? | | | |
| Are steps taken to minimise the risk of injury from manual handling? | | | |
| Have staff received suitable training for manual handling? | | | |
| Personal Protective Equipment and Clothing | | | |
| Are adequate numbers of goggles/safety glasses provided? | | | |
| Are aprons regularly laundered? | | | |
| Are suitable aprons provided? | | | |

| | | | |
|---|--|--|--|
| Are the goggles/safety glasses checked termly? | | | |
| Risk assessments | | | |
| Have risk assessments been completed for all equipment and activities likely to result in injury? | | | |
| Are risk assessment actions implemented? | | | |
| Have all risk assessments been reviewed with the last 12 months? | | | |
| Have all staff signed off the risk assessments? | | | |
| Storage Areas | | | |
| Are all stacks kept within a reasonable height to prevent them from becoming unstable? | | | |
| Are all stored items easily retrievable? | | | |
| Are goods and items stacked neatly? | | | |
| Are storage areas kept tidy and floors free from obstruction? | | | |
| Is all shelving/racking secured to prevent toppling? | | | |
| Is care taken not to overload shelving and racking? | | | |
| Is the storage of items on top of cabinets prohibited? | | | |
| Is there a safe means of access to high areas? | | | |
| Training | | | |
| Have all staff received induction training? | | | |
| Have all staff received relevant health and safety training? | | | |

